
Ferroelectricity Newsletter

A quarterly update on what's happening in the field of ferroelectricity

Volume 13, Numbers 3&4

Summer/Fall 2005

YEAR-END REPORT OF NEWS IN THE FIELD

The **17th International Symposium on Integrated Ferroelectrics** (ISIF 2005) took place from 17-20 April 2005 in Shanghai, China. The field of ferroelectric/piezoelectric/high-K dielectric/phase-change materials is growing rapidly because of the potential application in MEMS technologies and the development of new generations of nonvolatile memory devices. Please check the index of the papers, starting on page 2 of this issue, to see that the presentations reflect the maturity and the acceptance of the technology.

The other set of papers indexed in this issue is from the **NATO Advanced Research Workshop on dimensionality effects and non-linearity in ferroics**, held on 19-22 October 2004 in Lviv, Ukraine. (Please see pages 24 ff.)

The **18th International Symposium on Integrated Ferroelectrics** (ISIF 2006) will be held on 23 - 27 April 2006 in Honolulu, Hawaii. You will find information, including a detailed description on the technical program, beginning on page 27.

The other announcement about upcoming meetings deals with the **8th European Conference on Applications of Polar Dielectrics** (ECAPD 8) to take place from 5 - 8 September 2006 in Metz, France. Topics of this conference include materials research, application oriented studies of physical properties of dielectrics, and device research, such as piezoelectric transducers, smart sensors and actuators, pyroelectric detectors, electro-optic modulators, spatial light modulators and displays, 2D and 3D optical storage devices, ferroelectric memories, and microelectromechanical devices.

As of this moment, future funding for the *Ferroelectricity Newsletter* is uncertain. This issue will therefore be the last we publish as hard copy. We will try, however, to keep our website open. This allows you continued access to all archived material. Since the future of our Ferroelectricity Newsletter is not yet defined, we encourage all of you to email us your thoughts and suggestions. In turn, we keep you posted on any new development.

We thank all of our readers for your loyal support these past 13 years, as well as the Naval Postgraduate School and the Office of Naval Research for making it possible to produce this newsletter.

Our very best wishes for your continuing successful professional career.

Rudolf Panholzer
Editor-in-Chief

IN THIS ISSUE

From the Editor	1
Conference Papers	
ISIF 2005	2
NATO Advanced Workshop: Dimensionality effects and non-linearity in ferroics	24
Upcoming Meetings	
ISIF 2006	27
ECAPD 8	31
Calendar of Events	32

Ferroelectricity Newsletter

Volume 13, Numbers 3&4
Summer/Fall 2005

The *Ferroelectricity Newsletter* is published quarterly by the Naval Postgraduate School, Space Systems Academic Group, Monterey, California, with the support of the Office of Naval Research (ONR).

Prof. Rudolf Panholzer
Editor-in-Chief
email: rpanholzer@nps.edu

Dr. Hannah Liebmann
Managing Editor

Please visit our Web site:
<http://www.sp.nps.navy.mil/projects/ferro/ferro.html>

© 2005 NPS Space Systems Acad. Group

ISIF 2005 PAPERS

PLENARY SESSION

Studying ferroelectrics with synchrotron radiation

S. Baik

High density ferroelectric non-volatile memories: Opportunities, progress and challenges

Paul C. McIntyre and Yoshio Nishi

FeRAM PROCESS INTEGRATION

Challenges for high density 3D FeRAM

R. Bruchhaus, M. Gutsche, N. Nagel, T. Roehr, and G. Beitel

Novel BC plug technology for highly reliable mass productive 0.18 μ m 1T1C COB embedded FRAM

D.Y. Choi, J.H. Park, H.J. Joo, S.K. Kang, Y.M. Kang, B.J. Koo, H.-S. Rhie, S.Y. Lee, H.S. Jeong, and Kinam Kim

Excellent reliability properties of 0.81 μ m² integrated SBT Fecap's with 3-D structure

L. Goux, G. Russo, J.G. Lisoni, M. Schwitters, V. Paraschiv, D. Maes, L. Haspeslagh, D.J. Wouters, and R. Zambrano

FRAM reliability issues and improvement for advanced FRAM

T. Eshita

Effects of novel electrodes for thin Pb(Zr,Ti)O₃ films by controlling PZT interface

June-Moo Koo, Suk Pil Kim, Sangmin Shin, and Youngsoo Park

Integration processes and properties of semiconductive oxide memory transistor

Ting kai Li, Sheng Teng Hsu, Bruce Ulrich, and Dave Evans

High density and low power non-volatile FeRAM with non-driven plate, selected driven bit-line and complimentary shielded bit-line scheme

Yasuo Murakuki

Influence of the mechanical stress on the stability of encapsulated electrodes used in 3D ferroelectric capacitor configurations

J.G. Lisoni, J.A. Johnson, L. Goux, H. Vander Meeren, V. Paraschiv, M. Willeghems, D. Maes, L. Haspeslagh, D.J. Wouters, C. Caputa, and R. Zambrano

Low voltage 3V operation of the ferroelectric multi-layer stack MFIS structure device formed by plasma physical vapor deposition and oxygen radical treatment

Ichirou Takahashi, Tatsufumi Isogai, Akinobu Teramoto, Shigetoshi Sugawa, and Tadahiro Ohmi

Retention lifetime prediction for FRAM

Shan Sun, Bob Sommervold, Terri Culbreth, and Tom Davenport

Electrical property of MOCVD-PZT thin film capacitor patterned by dry etching

Y. Nishioka, M. Kajinuma, T. Masuda, I. Kimura, S. Kikuchi, T. Jimbo, M. Ueda, M. Endo, Y. Kokaze, and K. Suu

Novel PZT capacitor technology for 1.6V FRAM embedded smartcard

H.S. Rhie, H.J. Joo, S.K. Kang, J.H. Park, Y.M. Kang, B.J. Koo, D.Y. Choi, S.Y. Lee, B.J. Bae, J.E. Lim, H.S. Jeong, and Kinam Kim

Ferroelectric capacitor annealing process realizing highly reliable 1T1C FRAM

W. Wang, J. Watanabe, S. Mihara, and T. Eshita

RIE effect on the ferroelectric properties

Zhigang Zhang, Dan Xie, Chaogang Wei, Tianqi Shao, Tianling Ren, Zhihong Liu, and Jun Zhu

Innovation in 1T1C FRAM technologies for mass-productive megadensity FRAM and future high density FRAM

Kinam Kim and S.Y. Lee

FeRAM MATERIALS — PZT SYSTEM

Pb(Zr,Ti)O₃ capacitors prepared on sub-micron trench structure by metalorganic chemical vapor deposition

Youngsoo Park, June Mo Koo, Sangmin Shin, Suk Pil Kim, Bum-Seok Seo, and Jung Hyun Lee

Polarization instability of Pt/PZT/Pt ferroelectric capacitor invoked by voltage cycling

Yuki Yamada, Susumu Shuto, and Iwao Kunishima

Effect of in-plane orientations and strain on electrical properties of (111)-oriented tetragonal PZT thin

ISIF 2005 PAPERS

films

*Hiroki Kuwabara, Akihiro Sumi,
Shoji Okamoto, Sintaro
Yokoyama, and Hiroshi
Funakubo*

A study on the deposition behavior of a lead oxide thin film on Pt and Ir substrates by liquid delivery metal-organic chemical vapor deposition for Pb(Zr,Ti)O₃ film growth

*Jin Shi Zhao, Joon Seop Sim,
Hyun Ju Lee, Dong-Yeon Park,
and Cheol Seong Hwang*

The enhanced retention characteristics of flattened MOCVD PZT film by CMP process

*Suk-Hun Choi, Byoung-Jae Bae,
Yoon Ho Son, Dong-Chul Yoo,
Ji-Eun Lim, Dong-Hyun Im,
Soon-Oh Park, Changki Hong,
Hee-Suk Kim, Han Ku Cho, U-In
Chung, and Joo-Tae Moon*

Ferroelectric response from PZT thin films prepared directly on low resistivity copper substrates

*Jon-Paul Maria, Mark D.
Losego, Jon F. Ihlefeld, and
Leslie H. Jimison*

Surface morphology and composition of Pb_{1+y}(Zr_{0.3}Ti_{0.7})O₃ thin films

*D.P. Chu, P. Migliorato, E.
Wendler, V. Keast, C.J.
Humphreys, K. Ohashi, and T.
Shimoda*

MOCVD growth of (Pb,Ba)(Zr,Ti)O₃ thin films for memory application

*Jochen Puchalla, Susanne
Hoffmann-Eifert, and Rainer
Waser*

Enhanced retention property of

Pb(Zr,Ti)O₃ thin film by applying PbTiO₃ seed layer

*Byoung-Jac Bae, Dongo-Chul
Yoo, Sang-Don Nam, Ji-Eun Lim,
Dong-Hyun Im, Soon-Oh Park,
Hee-Suk Kim, U-In Chung, and
Joo-Tae Moon*

In situ X-ray studies of ferroelectric behavior in ultra-thin PbTiO₃ films

*Carol Thompson, D.D. Fong, R.-
V. Wang, S.K. Streiffer, J.A.
Eastman, P.H. Fuoss, and G.B.
Stephenson*

A compact model for the simulation of ferroelectric capacitor

*Wang Longhai, Yu Jun, Wang
Yunbo, Peng Gang, Liu Feng,
and Gao Junxiong*

Application of kinetic imprint approach to wake-up, fatigue and rejuvenation effects in PZT and PLZT thin films

*Vladimir Shur, Ivan Baturin,
Eugene Rumyantsev, Dmitrii
Kuznetsov, Rainer Waser,
Theodor Schneller, Barbara
Malic, and Mira Mandeljc*

Switching behavior in irradiated PZT thin films

*Nicolas Menou, Christophe
Muller, Ivan Baturin, Dmitrii
Kuznetsov, Vladimir Shur, and
Andris Sternberg*

Fabrication and characterization of metal-ferroelectric-insulator-semiconductor devices with Pt/Pb₅Ge₃O₁₁/HfO₂/Si structures

*Shuichiro Ohara, Koji Aizawa,
and Hiroshi Ishiwara*

Electric fatigue properties of Pb(Zr,Ti)O₃ thin films grown on LaNiO₃ buffer Pt/TiSiO₂/Si by

metalorganic chemical vapor deposition

*Jiwei Zhai, Bo Shen, Xi Yao,
Zhengkui Xu, and Haydn Chen*

Biological functionalization of ferroelectric lead zirconium titanate surfaces

*B.D. Reiss, M. Firestone, W.C.
Pan, M. Kuo, L.E. Ocola, and O.
Auciello*

FeRAM MATERIALS - LAYERED PEROVSKITE

Applications of bismuth-layered perovskite thin films to FET-type ferroelectric memories

Hiroshi Ishiwara

Effect of grain size and crystal orientation on the polarization of SrBi₂(Ta, Nb)₂O₉ films

*K. Kaibara, K. Tanaka, K.
Uchiyama, Y. Kato, and Y.
Shimada*

Preparation and characterization of natural-superlattice-structured Bi₂MoO₆-Bi₄Ti₃O₁₂ (m=1-3) thin films

*Akira Shibuya, Minoru Noda,
Masanori Okuyama, and Keisuke
Saito*

Defect engineering for control of polarization fatigue in Bi_{3.25}La_{0.75}TiO₁₂ film capacitors

S.K. Singh and H. Ishiwara

Temperature-dependent fatigue behavior of ferroelectric

Bi_{4-x}La_xTi₃O₁₂ thin films

Y. Wang, Ch. Zhu, and J.-M. Liu

Stress cooperates with size effect in Bi_{3.25}La_{0.75}Ti₃O₁₂ films

Xiumei Wu, Xiaomei Lu, Zhen

ISIF 2005 PAPERS

Yang, Xiaoshan Wu, Honglin Cai, and Jinsong Zhu

Physical properties of Mn doped $\text{Bi}_{3.65}\text{La}_{0.47}\text{Ti}_3\text{O}_{12.17}$ crystals
Jong-Pil Kim, Mi-Sook Won, Chae-Ryong Cho, Min-Su Jang, and Se-Young Jeong

Ferroelectric properties of rare-earth substituted bismuth iron oxide thin films fabricated by chemical solution deposition method

Hiroshi Uchida, Risako Ueno, Hiroshi Nakaki, Masao Kondo, Kenji Maruyama, Hiroshi Funakubo, and Seiichoro Koda

Investigation on effective dimensionality of domain growth in $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ films

Wei Li, Xiumei Wu, Jun Gu, Xiaomei Lu, and Jinsong Zhu

Ferroelectric properties of hafnium substituted bismuth titanate ceramics and thin films

Jun Gu, Aipin Chen, Yi Kan, Chunhua Song, Jun Ma, Wei Li, Xiaomei Lu, and Jinsong Zhu

Electrical properties of the frequency and temperature dependence in pure $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ and Nb-doped $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ ceramics

Jong-Ho Park, Dae-Hwang Yoo, Chung-Sik Kim, Ho-Soon Yang, Kyong-Soo Hong, Byung Chun Choi, Byung Kee Moon, and Hyo Jun Seo

Grain size effect on the grain orientation of bismuth layer structure ferroelectric ceramics

Jiangtao Zeng, Yongxiang Li, Qunbao Yang, Dong Wang, and Qingrui Yin

Studies of the relax behavior of SBT thin films

Kan-Hao Xue, Zhi-Gang Zhang, Dan Xie, Tian-Zhi Liu, Tian-Ling Ren, and Li-Tian Liu

CIRCUIT DESIGN AND ARCHITECTURE

A novel scheme of cross bitlines for FeRAM array

Ze Jia, Tian-Ling Ren, Dan Xie, Zhi-Gang Zhang, Li-Tian Liu

Pulse driving of ferroelectric SBT capacitors in a nonvolatile flip-flop

S. Koyama, Y. Kato, T. Yamada, and Y. Shimada

A double-gate cell (DGC) FeRAM with non-destructive read out (NDRO) and random access scheme for nanoscale and terabit non-volatile memory

Hee-Bok Kang, Jae-Jin Lee, Jin-Hong Ahn, Joong-Sik Kih, Man-Young Sung, and Young-Kwon Sung

A new FRAM array based on a quarter-T/two-C cell

Chao-Gang Wei, Tian-Ling Ren, and Jun Zhu

Characteristics of ferroelectric logic gates using a spice-based model

Todd C. LacLeod, Thomas A. Phillips, and Fat D. Ho

MEMS, PYROELECTRIC/IR AND OPTOELECTRICS - MATERIALS

Predicted and realized improved performances of PZT film - silicon based structures for integrated pyrosensories

S. Bravina, N. Morozovsky, E.A.

Eliseev, E. Cattani, D. Remiens, and A. Grosman

Materials integration for piezoelectrically actuated diamond-based MEMS/NEMS devices

O. Auciello, W. Fan, G. Bai, and J.A. Carlisle

Site-controlled growth of ferroelectric crystals: Modelling of nucleation

P. Muralt and S. Bühlmann

Preparation and characterizations of $\text{PbZr}_{0.53}\text{Ti}_{0.47}\text{O}_3$ thick films on LaNiO_3 coated Si by modified metallorganic decomposition process

G.S. Wanga, D. Rémiens, C. Soyer, E. Dogheche, and E. Cattani

Ferro- and piezoelectric characteristics of bottom-up fabricated $\text{CaBi}_4\text{Ti}_4\text{O}_{15}$ films with preferred orientation

Kazumi Kato, Kiyotaka Tanaka, Kazuyuki Suzuki, Tatsuo Kimura, Kaori Nishizawa, and Takeshi Miki

Novel electro- and magneto-optical oxides: Towards the frozen light in photonic crystals

A.M. Grishin

Electro-optic effect in relaxor ferroelectric films and heterostructure superlattices

Yalin Lu and R.J. Knize

Nanostructure and electrical properties of highly oriented (111) PZT on GaN/sapphire by MOCVD

Jing Li, S. Bhaskar, Wei Cao, and Sandwip K. Dey

ISIF 2005 PAPERS

The preparation of ZnO and SrCu₂O₂ precursors and the integration of thin films via spin-on process

Welwei Zhuang, Yoshi Ono, and Wei Gao

Micro fabrication of epitaxial La_{0.67}(Sr,Ca)_{0.33}MnO₃ IR bolometer on silicon

Joo-Hyung Kim and Alexander M. Grishin

Microstructure of ceramic thin film formed by aerosol deposition and its applications to microactuator

Jun Akedo

Compositional dependence of piezoelectric response on epitaxial Pb(Zr_{1-x}Ti_x)O₃ and (1-x)Pb(Mg_{1/3}Nb_{2/3})O₃-(x)PbTiO₃ thick films grown by MOCVD

Shintaro Yokoyama, Satoshi Okamoto, Keisuke Saito, Hirofumi Masuda, Takashi Iijima, Hirotake Okino, Takashi Yamamoto, and Hiroshi Funakubo

Residual stress and electromechanical properties of ferroelectric thin films on silicon substrates

Kui Yao and Yen Peng Kong

The piezoelectric properties of highly [100] oriented [Pb(Zr_xTi_{1-x})O₃, PZT] thin films

J.M./ Marshall, S. Corkovic, Q. Zhang, and R.W. Whatmore

MEMS, PYROELECTRIC/IR AND OPTOELECTRICS — DEVICES

Electro-optic properties of Pb(Zr,Ti)O₃ films prepared by aerosol deposition

Masafumi Nakada, Keishi Ohashi, and Jun Akedo

A micro-machined ultrasonic transducer based on piezoelectric thin films for immersed applications

K. Dogheche, W. Daniau, M. Wilm, E. Cattin, D. Remiens, and S. Ballandras

Active damping of a piezoelectric MEMs acoustic sensor

Xiaoming Wu, Tianling Ren, and Litian Liu

Latest advances in high-dielectric thin-film capacitor technology for GHz-RF devices

Toshimasa Suzuki, Kentaro Morito, and Yoshiki Iwazaki

Development of a three-axis accelerometer incorporating AIN thin film for high temperature use

M.Y. Lim, R.V. Wright, M. Zhu, and P.B. Kirby

Micro-acoustic devices using piezoelectric films

Tian-Ling Ren, Yi-Ping Zhu, Yi Yang, Xiao-Ming Wu, Ning-Xin Zhang, Li-Tian Liu, and Zhi-Jian Li

A novel design for integrated RF-MEM switches using ferroelectric thin films

C. Küeler, S. Tappe, U. Böttger, and R. Waser

Comparison of ultra-low voltage operated RF MEMS in-line switches with serial and shunt configurations

Jae Y. Park and Hee C. Lee

Piezoelectric 2D-optical micro scanners with PZT thick films

Yoshiaki Yasuda, Masahiro

Akamatsu, Masanao Tani, and Hiroshi Toshiyoshi

Piezoelectric RF MEMs platform for compact communication systems and ambient intelligence

Jacek Baborowski

Highly sensitive piezoelectrically driven micro-bridge gas sensor

Sanghun Shin, Jun-Kyu Paik, Ho-Jun Kwon, Joon-Shik Park, Hyo-Derk Park, Nae-Eung Lee, and Jaichan Lee

Integrated magneto-optic spatial light modulator controlling by PZT thin film

Jae-Hyuk Park, J. Akedo, H. Takagi, N. Kazuhiro, H. Uchida, and M. Inoue

MULTI-FERROICS & GRADED FERROELECTRICS

Internal bias field in ferroelectric thin films: Strain-gradient mechanism vs. other scenarios

Alexander K. Tagantsev

Electrical and magnetic investigations on Sn substituted La Bi Fe O₃

Y.D. Kolekar, D.J. Salunkhe, S.B. Kulkarni, and P.B. Joshi

Dielectric properties of BaTiO₃/SrTiO₃ artificial superlattices

Jaichan Lee, Leejun Kim, Juho Kim, Umesh V. Waghmare, and Donggeun Jung

Strong magneto-capacitance coupling at room temperature in integrated ferroelectric resonators

M. Maglione, W. Zhu, and Z.H. Wang

ISIF 2005 PAPERS

Structural and electrical properties of BiFeO₃ thin films

S.K. Singh, H. Funakuba, H. Uchida, and H. Ishiwara

Pyro- and piezoelectric quasi-amorphous BaTiO₃ thin films

V. Lyahovitskaya, I. Zon, Y. Feldman, E. Wachtel, I. Lubomirsky, A. Frenkel, and A.K. Tagantsev

MICROWAVE MATERIALS AND DEVICES

Performance of a large sample of thin film Ba_xSr_{1-x}TiO₃ microwave phase shifters fabricated on LaAlO₃ substrates

Fred van Keuls

High frequency loss modeling using universal relaxation

Nadia K. Pervez, Jaehoon Park, Jiwei Lu, Susanne Stemmer, and Robert A. York

Ceramic passive integration on polymer substrate using aerosol deposition

Yoshihiko Imanaka and Jun Akedo

(Ba,Sr)TiO₃ thin films for tunable microwave applications: Strain effects on ferroelectric phase transition

Wontae Chang, Jeffrey A. Bellotti, Stephen W. Kirchoefer, and Jeffrey M. Pond

Ferrite-ferroelectric layered structures as the basis for microwave devices tunable through magnetic and electric fields

S.F. Karmanenko, A.A. Semenov,

P. Ju. Beljavsky, B.A. Kalinikos, An. Slavin, and G. Srinivasan

Development of embedded high-K thin film capacitors into the printed wiring boards for passive devices

Seung-Hyun Kim, Jung-Hoon Yeom, Chang Young Koo, Jong-Hyeon Cheon, Hyun-Jung Woo, Young Soo Yoon, and Jowoong Ha

Electrical and microstructural properties of Y doped RF-sputtered (Ba_xSr_{1-x})TiO₃ thin films for GHz decoupling applications

P.C. McIntyre, R. Zednik, J.D. Baniecki, K. Nomura, T. Shioga, and K. Kurihara

A novel coplanar waveguide based varactor shunt switch, a potential competitor for RF MEMS applications?

Guru Subramanyam, Faruque Ahamed, Rand Biggers, and Angela Campbell

Dielectric property of BST films prepared on SrRuO₃/Pt hybrid electrode

Shin-Ichi Ito, Kenji Takahashi, Shoji Okamoto, I.P. Koutsaroff, A. Cervin-Lawry, Joe Sakai, Nobuaki Ito, and Hiroshi Funakubo

AgTa_{0.5}Nb_{0.5}O₃ thin film coplanar waveguide microwave capacitors

J.-Y. Kim and A.M. Grishin

Preparation and properties of Ba(Zr_{0.2}Ti_{0.8})O₃ thin films by chemical solution deposition

Hiroshi Maiwa, Kohei Ohashi, and Takashi Hayashi

BZN thin film capacitors for micro-

wave low loss tunable applications
Jaehoon Park, Jiwei Lu, Susanne Stemmer, and R.A. York

Tunable microwave integrated circuits using BST thin film capacitors with device structure optimization

Hongtao Xu, Nadia K. Pervez, Jaehoon Park, Christopher Sanabria, and Robert A. York

CVD/ALD PROCESSING

Preparation of 3D ferroelectric capacitor using MOCVD-Pb(Zr,Ti)O₃ film

Hiroshi Funakubo, Atsushi Nagai, Gouji Asano, Jun Minamidate, Chel Jong Choi, Choong-Rae Cho, Youngsoo Park, and Noriaki Oshima

MOCVD of epitaxial Pb-based perovskite films on GaN and sapphire

Wei Cao, Changgong Wang, S. Bhaskar, Jing Li, and Sandwip K. Dey

(103)- and (116)-oriented SrBi₂Ta₂O₉ thin films prepared by metalorganic chemical vapor deposition on Pt electrode at low temperature

Kazuya Sano, Satoko Kato, Kyohei Funatsu, Mitsushi Shoda, and Shoji Kanazawa

MODELING AND THEORY

Electrical and spectroscopic investigations of charge transport and Schottky barrier heights in (Ba_xSr_{1-x})Ti_{1+y}O_{3+z} thin film capacitors

J.D. Baniecki, M. Kurasawa, T. Shioga, K. Kurihara, and N. Kamehara

ISIF 2005 PAPERS

Polarization reversal due to charge injection in ferroelectric films

S. Bühlmann, E. Colla, and P. Muralt

Modeling of a metal-ferroelectric-semiconductor field-effect transistor NAND gate

Thomas A. Phillips, Todd C. Macleod, and Fat Duen Ho

Lattice instability and dielectric response of $\text{SrTiO}_3/\text{BaTiO}_3$ artificial superlattice: First principles study

Leejun Kim, Juho Km, Donggeun Jung, Umesh V. Waghmare, and Jaichan Lee

First principles study of the energetics of the defect formations in LiNbO_3

H.H. Nahm and C.H. Park

Film-thickness-dependent Curie-Weiss behavior and interfacial capacitance of sputtered $(\text{Ba,Sr})\text{TiO}_3$ thin-film capacitors having Pt electrodes

Woo Young Park and C Heol Seong Hwang

The nature of self-polarization phenomenon in ferroelectric thin films

Maya Glinchuk, A.N. Morozovska, and V. Lashkaryov

Fatigue model of metal-ferroelectric-metal structures based on trapping/detrapping of charges at interfacial states

Gwenaél Le Rhun, Gille Pullain, and Rachid Bouregba

TESTING AND CHARACTERIZATION

High temperature oxygen tracer diffusion in $\text{Pb}(\text{Zr,Ti})\text{O}_3$ thin film and dissociation on platinum

Jeffrey Scott Cross, Kazuaki Kurihara, Nobou Kamehara, Hajime Haneda, and Isao Sakaguchi

Monitoring the switching process of ferroelectric memory cell capacitors of A 32Mb chain FeRAM

T. Schmitz, R. Bruchhaus, G. Beitel, and S. Tiedke

Study on the polarization relaxation of ultr-thin BaTiO_3 capacitors in short-time regime

D.J. Kim, Y.S. Kim, J.Y. Jo, T.K. Song, J.G. Yoon, and T.W. Noh

New results on fatigue and imprint effect

P.J. Schorn, D. Bräuhäus, U. Boettger, and R. Waser

Mechanisms of nano-shorts in the electrical breakdown of ferroelectric thin films

Xiaojie Lou, Xiaobing Hu, Ming Zhang, and James F. Scott

Retention in ferroelectric capacitors and device-oriented model for imprint/retention polarization loss

Igor Stolichnov, Alexander K. Tagantsev, and Nava Setter

Dielectric characterization of PZT thin films with different composition by means of Rayleigh constants

R. Bruchhaus

Imprint related fatigue behavior of $\text{SrBi}_2\text{Ta}_2\text{O}_9$ thin films

Dan Xie, Zhigang Zhang,

Tianling Ren, Chaogang Wei, and Litian Liu

Pyroelectric characterization of hysteresis phenomena asymmetry in PZT film on silicon structures

S. Bravina, N. Morozovsky, E. Cattani, and D. Remiens

Domain switching and imprint effect at large-time scale

A.Q. Jiang, D.P. Chu, P. Migliorato, T. Kijima, and T. Shimoda

Lead-based ferroelectric compounds: Insulators or semiconductors?

Lucian Pintilie, Marian Lisca, and Martin Alexe

DOMAINS AND NANOSTRUCTURES

Nano-sized domain formation of $\text{PbZrO}_3/\text{PbTiO}_3$ artificial superlattices by scanning probe microscopy

Taekjib Choi, Bongki Lee, Hyungjung Shin, Jin-Soo Kim, Bae Ho Park, and Jaichan Lee

Perovskite oxide thin film electrical programmable non-volatile resistance memory

A. Ignatiev, C. Papagianni, S.Q. Liu, Y.B. Nina, N.J. Wua, W.W. Zhuang, and S.T. Hsu

Interface effects in nanoscale ferroelectric structures

Alexe, L. Pintilie, and D. Hesse

Scanning probe microscopy and microwave characterization of nanostructured ferroelectric barium strontium titanate thin-films fabricated by pulsed laser

ISIF 2005 PAPERS

deposition

*Angela Campbell, Rand Biggers,
Bonnie Riehl, and Guru
Subramanyam*

Lanthanum and neodymium substituted $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ nanostructures through self-assembly

J. Ma, Y. Kan, X.M. Lu, and J.S. Zhu

Ferroelectric $\text{PbZr}_x\text{Ti}_{1-x}\text{O}_3$ nanostructures fabricated on single crystal substrates by MOCVD

M. Shimizu, H. Nonomura, H. Fujisawa, H. Niu, and K. Honda

Size dependence of domain structures in the individual nano-sized PbTiO_3 grains on the platinized substrate

Hui-Zhong Zeng, Li-Shan Dai, Jing-Song Liu, Jian Shen, Zhi-Hong Wang, and Yan-Rong Li

Dimensional effects on nanoferroelectrics: Ultra-thin [2D] single-crystals, [3D] nanotubes, [1D] nano-rods, [2D] nanoribbons, and [zero-D] nano-dots

James F. Scott

Controlled 1 dimensional nanostructures of PbTiO_3 : From nanoparticles to nanotubes

Lili Zhao, Martin Steinhart, Jian Yu, Jun Shen, Eckhard Pippel, Petra Göring, Marin Alexe, and Ulrich Gösele

Direct studies of domain switching dynamics in ferroelectric capacitors

A. Gruverman, B.J. Rodriguez, C. Dehoff, A.I. Kingon, and J.S. Cross

Impact of 90° -domain switching on high d_{33} in (100)-oriented

epitaxial $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ films grown on (100) SrRuO_3 /(100) SrTiO_3 substrates

Yong Kwan Kim, Risako Ueno, Shintaro Yokoyama, Hitoshi Morioka, Hiroshi Funakubo, and Minoru Osada

77-nm ferroelectric single-crystal FRAM capacitors

J.F. Scott, F.D. Morrison, D.J. Jung, P. Zubko, M. Saad, P. Baxter, R.M. Bowman, and J.M. Gregg

Ferroelectricity in one unit-cell period $\text{CaTiO}_3/\text{BaTiO}_3$ and BaTiO_3 and $\text{BaTiO}_3/\text{SrTiO}_3$ superlattices

T.W. Noh, S.S.A. Seo, J.H. Lee, J. Yu, H.N. Lee

Registered deposition of nanoscaled ferroelectric grains by template-controlled growth

Sven Clemens, Theodor Schneller, Andre v.d. Hart, Andreas Rüdiger, and Rainer Waser

2D planar size effects in epitaxial PZT thin films

Kilho Lee, Hyun Jung Yi, Wang-Hyun Park, Yong Kwan Kim, Hee Han, Keewon Kim, Soon-Ju Kwon, Yong Jun Park, Ki Bong Lee, and Sunggi Baik

HIGH-K MATERIALS AND DEVICES

Nanochemistry, nanostructure and electrical properties of Ta_2O_5 films by ALD and PEALD

Diefeng Gu, Jing Li, Sandwip K. Dey, Steve Marcus, Glen Wilk, Henk de Waard, and Chris Werkhoven

Impact of the top-electrode material on the permittivity of single-crystalline $\text{Ba}_{0.7}\text{Sr}_{0.3}\text{TiO}_3$ thin films

R. Plonka, R. Dittmann, N.A. Pertsev, E. Vasco, and R. Waser

Electrical properties for high-K HfO_2 capacitors with an equivalent oxide thickness of 9Å on Ru metal electrode

Jeon-Ho Kim, Soon-Gil Yoon, Seung-Jin Yeom, Hyun-Kyung Woo, Deok-Sin Kil, Jae-Sung Roh, and Hyun-Chul Sohn

Interface engineering for (Ba,Sr) TiO_3 thin films grown by MOCVD

S. Regnery, R. Thomas, P. Ehrhart, and R. Waser

A defect model to anomalous dielectric properties of polycrystalline and film $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$

K.Y. Cho, N.J. Wua, and A. Ignatiev

High-temperature amorphous hafnia HfO_2 for microelectronics

M. Miyake, X.-J. Lou, Ming Zhang, F.D. Morrison, X.-B. Hu, T.J. Leedham, T. Tatsuta, O. Tsuji, and J.F. Scott

Dielectric characterization of metal-oxide-semiconductor capacitor using Ga_2O_3 dielectrics on p-Si (100)

Sang-A. Lee, Se-Young Jeong, Jae-Yeol Hwang, Jong-Pil Kim, and Chae-Ryong Cho

Science and technology of new ultra-thin $\text{Ti}_x\text{Al}_{1-x}\text{O}_y$ alloy oxide and layered $\text{TiO}_2/\text{Al}_2\text{O}_3$ nanolaminates for next generation of Cmos gate dielectric

O. Auciello, W. Fan, B. Kabius,

ISIF 2005 PAPERS

and J. Elam

Plasma-enhanced-atomic-layer-deposition of ultrathin $\text{Ga}_2\text{O}_3\text{-TiO}_2$ gate dielectrics on Si (001) substrates

Jeon-Ho Kim, Soon-Gil Yoon, and Won-Jae Lee

Leakage current mechanisms of SrTiO_3 thin films with MIS structures

Jian Hua Ma, Xiang Jian Meng, Tie Lin, Shi Jian Liu, Jing Lan Sun, Jun Hao Chu

Current transport mechanism through high-k HfO_2 films on Si
Cheol Seong Hwang and Doo Seok Jeong

POSTERS

FeRAM PROCESS INTEGRATION

High-density semiconductor memories using ferroelectric nanotubes (FNT)

U.A. Shaislamov, B.I. Seo, S.J. Lee, B.H. Park, I.S. Kim, S.J. Kim, S.K. Hong, and B. Yang

Study on stress of the films applied to FeRAM

Ze Jia, Dan Xie, Zhi-Gang Zhang, Tian-Ling Ren, and Li-Tian Liu

Structural studies on ferroelectric $(\text{Bi}_{1-x}\text{La}_x)_4\text{Ti}_3\text{O}_{12}$ thin films and powder prepared by a sol-gel method

Won-Jeong Kim, Mun Heum Park, Tae Gon Ha, Jun-Ki Chung, Eun Jin Choi, Sang Su Kim, Gun-Pyo Hong, and Yong

Nam Choi

Electrical characterizations of $\text{Bi}_{3.25}\text{La}_{0.75}\text{Ti}_3\text{O}_{12}$ incorporated ferroelectric field effect transistors prepared on 15nm SiO_2 -coated Si substrates

Eunjung Ko, Jaemoon Pak, Kuangwoo Nam, and Gwangseo Park

Pre-annealing effects on Al metallization properties in FeRAM device
K.W. Cho, J.H. Choi, H.S. Yu, S.Y. Kweon, S.J. Yeom, N.K. Kim, E.S. Choi, H.J. Sun, S.K. Hong, T.W. Hong, I.H. Kim, J.I. Lee, S.C. Ur, Y.G. Lee, S.L. Ryu, and S.K. Choi

Advantages of PtO_x electrode in fabricating $\text{Pb}(\text{Zr,Ti})\text{O}_3$ capacitors for high density ferroelectric memory application

Chun-Kai Huang, Shin-Tin Lin, and Tai-Bor Wu

Low-temperature preparation of $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ thin film by high oxygen-pressure processing
X.D. Zhang, X.J. Meng, J.L. Sun, T. Lin, and J.H. Chu

FeRAM MATERIALS - PZT SYSTEM

Effect of the heating rate for pre-heating process on the composition and phase transformation of sol-gel derived lead zirconate titanate thin film

Tien-I Chang, Jow-Lay Huang, Jen-Fu Lin, Long Wu, Hong-Ping Lin, and Horng-Hwa Lu

Enhancement on crystallization kinetics of $\text{Pb}(\text{Zr}_{1-x}\text{Ti}_x)\text{O}_3$ thin films prepared by metal-organic

decomposition process by incorporation of nano-powders

Hsiu-Fung Cheng, Yin-Chih Lin, Cheng-Hsiung Lin, and I-Nan Linb

The influence of Dy doping on structure and properties of PZT ceramics

A.L. Ding, Y. Zhang, and X.S. Zheng

Ferroelectric and memory properties of $\text{Pb}(\text{Zr}_{0.30}\text{Ti}_{0.70})\text{O}_3$ thin films crystallized on $\text{PbTiO}_3/\text{Pt}/\text{SiO}_2/\text{Si}$ substrates by hot isostatic pressing
K. Fukushima, M. Kobune, Y. Nishioka, T. Yamaji, and T. Yazawa

Perovskite structure development of PZN-PT thin films derived from MOD process

Xiyun He and Aili Ding

Pinning and depinning mechanism of defect dipoles in PMnN-PZT ceramics

Guo Rong Li, Wang Zhong Zhanhg, and Ai Li Ding

Effect of PtO_x electrode on polarization switching behavior of $\text{PbZr}_{0.4}\text{Ti}_{0.6}\text{O}_3$

Jheng-Hua Liao, Chung-Kai Huang, and Tai-Bor Wu

Preparation and electrical properties of $\text{Pt}/\text{ZrO}_2/\text{Si}$ and $\text{Pt}/\text{PLTZ}/\text{ZrO}_2/\text{Si}$ structures

Ji Cheng, Lin Yinyin, and Tang Tong-Ao

Elementary study on grain orientation for dense crystalline PZN-PLZT ceramics

Tao Liu, A.L. Ding, X.S. Zheng,

ISIF 2005 PAPERS

Xia Zeng, and G.C. Deng

Preparation of (002)-oriented metallic CaRuO_3 thin films on Si substrates by radio frequency magnetron sputtering for the growth of textured $\text{Pb}(\text{Zr}_{0.40}\text{Ti}_{0.60})\text{O}_3$
Hanjong Paik, Jongin Hong, Young-Ah Jeon, Sung Kwan Kim, Yun Seok Kim, Youngha Kim, and Kwangsoo No

Growth and evaluation of ferroelectric PNZT films on LNO/Pt hybrid electrodes
Hui Han, Jian Zhong, Xiuyu Song, Sushima Kotru, P. Padmini, and R.K. Pandey

Enhanced switching fatigue magnitudes in sol-gel derived ferroelectric $\text{Pb}(\text{Zr,Ti})\text{O}_3$ thin films on Pt/Ti/SiO₂/Si substrates
Donghyun Shim, Jaemoon Pak, Kuangwoo Nam, and Gwangseo Park

Fabrication and characterization of $\text{Pt/Pb}_3\text{Ge}_5\text{O}_{11}/\text{HfO}_2/\text{Si}(100)$ structures
B.-E. Park

Ferroelectric properties of PZT/TiO₂ structure according to the deposition condition of TiO₂ interlayer
Chul-Ho Park, Tae-Ho Ko, Young-Gook Son, and Mi-Sook Won

Impedance spectroscopy of $(\text{Pb}_{0.98}\text{La}_{0.08})(\text{Zr}_{0.95}\text{Ti}_{0.05})\text{O}_3$ (PLZT-8/95/5) ceramics above ferroelectric phase transition temperatures
Jong-Ho Park, Dae-Hwang Yoo, Chung Sik Kim, Kyong-Soo Hong, Ho-Soon Yang, Byung

Chun Choi, and Byung Kee Moon

Structural and electrical properties of epitaxial $\text{Pb}(\text{Zr,Ti})\text{O}_3$ thin films with LaMnO_3 bottom electrodes
J.S. Choi, Jinsoo Kim, and B.H. Park

The effect of the deposition condition of the PbO buffer layer on the interfacial condition of $\text{Pb}_{1.1}\text{Zr}_{0.53}\text{Ti}_{0.47}\text{O}_3/\text{PbO}/\text{Si}$ structures
Chul-Ho Park, Young-Hun Oh, and Young-Gook Son

Epitaxial growth of PLZT thin films on SrTiO_3 substrate by RF magnetron sputtering
Pingsun Qiu, Dazhi Sun, Wenxiu Cheng, Xinsen Zheng, Xiyun He, and Aili Ding

Effect of excess Pb in Pt layers on microstructure and dielectric characteristic of sol-gel derived PT/PZT/Pt thin films
Wang Longhai, Yu Jun, Yang Weiming, Wang Yunbo, and Gao Junxiong

Imprint properties of yttrium doped PZT thin film
W.X. Cheng, A.L. Ding, Pingsun Qiu, Xiyun He, and Xinsen Zheng

Effect of PtO_x electrode on polarization switching behavior of $\text{PbZr}_{0.4}\text{Ti}_{0.6}\text{O}_3$
Jheng-Hua Liao, Chun-Kai Huang, and Tao-Bor Wu

Room temperature imprint behavior of the $\text{Pb}(\text{Zr,Ti})\text{O}_3$ thin films
Chengtao Yang, Shuren Zhang, Fugui Chen, Jinsong Liu, and Zhaoming Tian

Effect of PMS modification on dielectric and piezoelectric properties of $\text{xPMS}-(1-\text{x})\text{PZT}$ ceramics
Z.G. Zhu, G.R. Li, Z.J. Xu, W.Z. Zhang, and Q.R. Yin

Precursor-monomer method of sol-gel for fabrication PZT ferroelectric films
Chenzhu, Zhang Shuren, Yang Chentao, and Wang Sheng

Preparation and characteristics of highly (100)-oriented PZT thick films with thin PbO seeding layers
Ziping Cao, Aili Ding, Xiyun He, Wenxiu Cheng, and Pingsun Qiu

Low temperature fatigue behavior of $\text{PbZr}_{0.52}\text{Ti}_{0.48}\text{O}_3$ ceramics
Y.R. Dai, K. Zhao, H.M. Shen, and J.S. Zhu

The electromechanical properties of highly (100) oriented $[\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3, \text{PZT}]$ thin films
J.M. Marshall, S. Corkovic, Q. Zhang, and R.W. Whatmore

Ferroelectric properties of $\text{Pt/PbZr}_{0.53}\text{Ti}_{0.47}\text{O}_3/\text{PbO}/\text{Si}$ (MFIS) structures according to the substrate temperature during the PbO buffer layer deposition
Chul-Ho Park, Young-Hun Oh, and Young-Gook Son

Investigation of electrical properties for $(\text{Y,Yb})\text{MnO}_3/\text{HfO}_2/\text{Si}$ and $(\text{Y,Yb})\text{MnO}_3/\text{Y}_2\text{O}_3/\text{Si}$ structures
Kazuyuki Suzuki, Kiyotaka Tanaka, Kaori Nishizawa, Takeshi Miki, and Kazumi Kato

Study of properties and structures of relaxor ferroelectric ceramics under the DC bias field
Xiaowei Wen

ISIF 2005 PAPERS

FeRAM MATERIALS - LAYERED PEROVSKITE

Crystallization behaviors of neodymium-substituted bismuth titanate thin films

Yi-Chan Chen, Chang-Po Hsiung, Yu-Ming Sun, and Jon-Yiew Gan

Synthesis of $\text{SrBi}_4\text{Ti}_4\text{O}_{15}$ powder and ceramic via auto-combustion of citrate-nitrate gel

R.Q. Chu, Z.J. Xu, X. Shao, G.R. Li, and Q.R. Yin

Non-volatile resistance switching memory

Rickard Fors, Sergey I. Khartsev, and Alexander M. Grishin

Characteristics of $\text{Bi}_{3.25}\text{La}_{0.75}\text{Ti}_3\text{O}_{12}$ thin films on p-Si with a buffer layer of $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ prepared by sol-gel method

Guo Dongyun, Wang Yunbo, Yu Jun, Gao Junxiong, and Ye Yanbin

Effect of annealing temperature on leakage current characteristics of $\text{Bi}_{3.25}\text{La}_{0.75}\text{Ti}_3\text{O}_{12}$ thin films prepared by sol-gel method

Guo Dongyun, Wang Yunbo, Yu Jun, Gao Junxiong, and Ye Yanbin

Enhanced polarization of vanadium Co-substituted BLT $(\text{Bi},\text{La})_4\text{Ti}_3\text{O}_{12}$ thin films prepared by aqueous chemical solution deposition

A. Hardy, G. Vanhoyland, H. Van den Rul, M.K. Van Bael, J. Mullens, L.C. Van Poucke, J. D'Haen, D.J. Wouters, and L. Goux

Electrical properties of Pt/BLT/HfSiON/Si structure for 1T-type ferroelectric memory

H. Hoko, C. Aoki, Y. Tabuchi, T. Tamura, K. Maruyama, Y. Arimoto, and H. Ishiwara

Deposition and characterization of pulsed-laser-deposited and chemical-solution-derived SM-substituted bismuth titanate films

Xiaobing Hu, Ashish Garg, Zoe H. Barber

Effect of niobium doping on piezoelectric and pyroelectric properties of $\text{Bi}_{3.5}\text{Nd}_{0.5}\text{Ti}_3\text{O}_{12}$ ceramics

T.T. Hu, K.W. Kwok, H.L.W. Chan, and C.L. Choy

Ferroelectric properties of $\text{Ba}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$ thin films prepared by RF magnetron sputtering

Wencheng Hu, Chuanren Yang, Wanli Zhang, Yan Qiu, and Lin Zhu

Effect of neodymium and vanadium doping on ferroelectric and electrical properties in bismuth titanate ceramics

Jin Soo Kim, Sun Young Lee, Ill Won Kim, and Jang Min Su

Properties of sol-gel derived bismuth-layered ferroelectric relaxors

Sang Su Kim, Mun Heum Park, and Won-Jeong Kim

Ferroelectric and dielectric properties of $\text{Bi}_{4-x}\text{Nd}_x\text{Ti}_3\text{O}_{12}$ ceramics

Xiang-Yu Mao and Xiao-Bing Chen

Electrical characterizations of $\text{Bi}_{3.25}\text{La}_{0.75}\text{Ti}_3\text{O}_{12}$ incorporated ferroelectric field effect transistors prepared on 15nm SiO_2 -coated Si

substrates

Eunjung Ko, Jaemoon Pak, Kuangwoo Nam, and Gwangseo Park

Ferroelectric properties and leakage characteristics in

$\text{Sr}_{2-x}\text{Ca}_x\text{Bi}_4\text{Ti}_5\text{O}_{18}$ ceramics

Feng Qiang, Jun Zhu, and Xiao-Bing Chen

Compositional dependence of electrical properties in La and Nb Co-modified $\text{Sr}_{0.8}\text{Bi}_{2.2}\text{Ta}_2\text{O}_9$ thin films

Haifeng Shia, Caixia Yang, Yinyin Lin, and Ting-Ao Tang

Electric properties of layered perovskite

$\text{Sr}_{0.8}\text{A}_{0.1}\text{Bi}_{2.1}\text{Ta}_{1.5}\text{Nb}_{0.5}\text{O}_9$ thin films (A=La, Pr)

Haifeng Shi, Caixia Yang, Yinyin Lin, Ting-Ao Tang, and Shantao Zhang

Strontium bismuth tantalate thin film deposition by liquid-delivery MOCVD using novel liquid bismuth precursors

M. Silinskas, M. Lisker, S. Matichyn, T. Hemper, E. Burte, J. Hyeon, V. Lorenz, and F. Edelmann

$\text{SrBi}_4\text{Ti}_4\text{O}_{15}$ thin film with large remnant polarization prepared by sol-gel method

Hui Sun, Hong Fang, Jun Zhu, and Xiao-Bing Chen

Characterization of $(\text{Bi},\text{Nd})_4\text{Ti}_3\text{O}_{12}$ /HfO₂/p-type Si structures for MFIS-FeRAM application

Y. Tabuchi, K. Aizawa, T. Tamura, K. Takahashi, H. Hoko, K. Kato, Y. Arimoto, and H. Ishiwara

ISIF 2005 PAPERS

Effects of naphthenic acid in complex alkoxide solutions on crystallization of ferroelectric $\text{CaBi}_4\text{Ti}_4\text{O}_{15}$ thin films

Naoto Togashi, Takayuki Mogi, Masayoshi Narita, Michio Hochido, and Kazumi Kato

Preparation and characterization of PLT/PT ferroelectric multilayer thin films by using magnetron sputtering

Jiagang Wu, Dingquan Xiao, Hong Liu, Zhaohui Pu, Jiliang Zhu, and Jinguo Zhu

Microstructure and ferroelectric properties of $\text{Bi}_3\text{TiTaO}_9$ thin films by metalorganic decomposition method

Dan Xie, Zhigang Zhang, Tianling Ren, Litian Liu

Preparation and dielectric properties of the layered perovskite $\text{Sr}_4\text{Bi}_4\text{Ti}_7\text{O}_{24}$ ferroelectric ceramics

Z.J. Xu, R.Q. Chu, X. Shao, and G.R. Li

Thermal stability of platinum bottom electrode for bismuth titanate thin films

Masaki Yamaguchi, Asa Yamamoto, and Yoichiro Masuda

Characterization of imprint behavior for the $\text{SrBi}_2\text{Ta}_2\text{O}_9$ thin films

Zhigang Zhang, Dan Xie, Jun Zhu, Tianling Ren, and Zhihong Liu

Electrical properties of W^{6+} -doped $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ layer-structured ferroelectric ceramics

L.N. Zhang, G.R. Li, S.C. Zhao, A.L. Ding, and Q.R. Yin

Structures and properties of $\text{Bi}_{3.15}\text{Nd}_{0.85}\text{Ti}_3\text{O}_{12}$ thin films on Pt-coated Si substrates with LaNiO_3 buffer layer

Shan-Tao Zhang, Ming-Hui Lu, Yan-Feng Chen, and Zhi-Guo Liu

Substitution site of lanthanum ions in a La-doped $\text{SrBi}_4\text{Ti}_4\text{O}_{15}$ and $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ - $\text{SrBi}_4\text{Ti}_4\text{O}_{15}$

Jun Zhu Xiao-Bing Chen

A new microscopic mechanism for fatigue behavior in bismuth layer structure ferroelectrics

D. Su, W. Li, J.S. Zhu, Y.N. Wang, and Q.Y. Xu

Ferroelectric characterizations of sol-gel derived $\text{Bi}_{3.25}\text{La}_{0.75}\text{Ti}_3\text{O}_{12}$ thin film at low temperature

Jae-Yeol Hwang, Jong-Pil Kim, Chae-Ryong Cho, Sang-A Lee, and Se-Young Jeong

CIRCUIT DESIGN AND ARCHITECTURE

Ferroelectric charge transfer device using polarization-assisted tunneling for single transistor nonvolatile memories

F. Gnadinger, D. Klingensmith, V. Olariu, T. Kalkur, M. Rahman, and A. Mahmud

Analysis of voltage controlled oscillators implemented with $\text{Ba}_{0.96}\text{Ca}_{0.04}\text{Ti}_{0.84}\text{Zr}_{0.16}\text{O}_3$ varactors

Asad Jamil, T.S. Kalkur, and N. Cramer

A relaxation oscillator utilizing ferroelectric capacitor as timing element

Greg Pauls and T.S. Kalkur

An 8-bit successive approximation analog-to-digital converter based on polarization switching ferroelectric capacitors

Mike D'Amico, Greg Pauls, and T.S. Kalkur

A novel ferroelectric nonvolatile SRAM recall operation scheme using equalizing transistor and its application in a programmable logic cell

Lianzhang Lai, Jiefeng Yan, and Ting-Ao Tang

Design, modeling and characterization of an active phase shifter using a ferroelectric capacitor

Ali Mahmud, T.S. Kalkur, and Asad Jamil

A design of ferro-DFF for nonvolatile systems

Jiefeng Yan, Lianzhang Lai, Binghang Lv, Tingao Tang

CVD/ALD PROCESSING

Deposition of nanocrystalline and microcrystalline $\text{Ba}_x\text{Sr}_{1-x}\text{TiO}_3$ by means of pulse modulated low pressure plasma jet system

Z. Hubicka, J. Olejnicek, M. Cada, P. Virostko, H. Sichová, A. Deyneka, L. Jastrabik, and D. Chvostová

Transparent titanium dioxide thin film deposition by plasma enhanced atomic layer deposition

GuoXia Liu, FuKai Shan, Won-Jae Lee, Geun-Hyoung Lee, Il-Soo Kim, Byoung-Chul Shin, Hong Seung Kim, and Chae-Ryoung Cho

ISIF 2005 PAPERS

Performance of SrRuO_3/Ru tailored electrodes for 3D ferroelectric capacitor

Jun Minamidate, Atsushi Nagai, Hiroshi Funakubo, SukPil Kim, and Youngsoo Park

Fabrication of $\text{Pb}(\text{Zr,Ti})\text{O}_3$ thin films by liquid delivery MOCVD using a cocktail source with $\text{Pb}(\text{DMAMP})_{12}\text{Zr}(\text{MMP})_4$ and $\text{Ti}(\text{MMP})_4$

Yohei Otani, Masaki Shibuya, Soichiro Okamura, and Tadashi Shiosaki

Preparation of $(\text{Bi,Nd})_4\text{Ti}_3\text{O}_{12}$ thin films by liquid-delivery MOCVD using neodymium precursors with high deposition efficiency

Y. Tasaki, Y. Sekita, T. Tanaka, and S. Yoshizawa

Evaluation of metalorganic precursors for preparing BiFeO_3 thin films by liquid-delivery metalorganic chemical vapor desposition

S. Yoshizawa, T. Kanoko, M. Kabeya, and Y. Tasaki

Characterisation of ferroelectric $\text{PbZr}_x\text{Ti}_{1-x}\text{O}_3$ (PZT) thin films prepared by liquid-delivery metalorganic chemical vapor desposition

S. Matichyn, M. Lisker, M. Silinskas, B. Garke, and E. Burte

Preparation of Ir and IrO_2 electrodes by MOCVD using $\text{Ir}(\text{EtCp})(\text{CHD})$

H. Fujisawa, S. Watari, M. Shimizu, and H. Niu

TESTING AND CHARACTERIZATION

Study on 3-dimensional piezoresponse image of

$\text{Bi}_{3.35}\text{La}_{0.85}\text{Ti}_3\text{O}_{12}$ thin film
Sengsu Cho, Jinhee Heo, Seokheun Choi, Ilsun Chung, and Suk-Kyoung Hong

High endurance of PZT thin film capacitors for 3V FRAM products
Fan Chu

The high temperature operating life test for FRAM product
F. Chu, L. Meza, B. Thomas, K. Showers, and T. Davenport

Integration of nanoscale ferroelectric grains for direct hysteresis measurements

Sven Clemens, Theodor Schneller, Andreas Rüdiger, Thorsten Schmitz, Stephan Tiedke, and Rainer Waser

Investigation of pinning domains in SBLT thin films by scanning force microscopy

Linshan Dai, Jingsong Liu, Huizhong Zeng, and Shengxiang Bao

Testing methodology for lifetime extrapolation of PZT capacitors
Emilien Bouyssou, Guillaume Guégan, and Robert Jérísian

Constraints and resolution for phase change materials and memory device scaling

Hong Yang, Lin Yinyin, Ling Yun, Lai Lianzhang, Feng Jie, Lai Yunfeng, Qiao Baowei, Tang Tingao, Cai Bingchu, and Chen Bomy

Effects of oxygen concentration on the structural and electrical properties of ZnO films

Hong Seung Kim, Eun Soo Jeong, Ju Young Lee, and Nak-

Won Jang

Characterization of ferroelectric domain switching of PZT thin film using scanning nonlinear dielectric microscope (SNDM)

Jaemin Lee, Jinhee Heo, Fervin A. Moses, and Ilsun Chung

Cymbal piezocomposites for vibration accelerometer applications
Li Denghua, Wang Lina, and Li Ke

Abnormal dielectric and ferroelectric properties of vinylidene fluoride and trifluoroethylene copolymer under different electric field and electron-irradiation

Li Jiankang, Shen Bo, Zhang Desheng, Chen Xiaogang, and Zhang Liangying

Analyses of C-V characteristics of MFIS device under high and low frequency

Ji Cheng, Lin Yinyin, and Tang Ting-Ao

Preparation of $\text{Pb}(\text{Zr,Ti})\text{O}_3$ films deposited on ITO coated glass substrate

Samyoung Kwon, HoSung Jung, Young Park, Kiwon Lee, HyunJune Park, Donguk Jang, and Ju Lee

Mechanisms of nano-shorts in the electrical breakdown of ferroelectric thin films

XiaoJie Lou, Xiaobing Hu, Ming Zhang, and James F. Scott

Characterizations of zinc oxide thin films on cubic MgO (100) substrates deposited by pulsed laser deposition

F.K. Shan, G.X. Liu, W.J. Lee, G.H. Lee, I.S. Kim, and

ISIF 2005 PAPERS

B.C. Shin

Delamination test and the effect of free edge on interface strength of PZT thin films

F. Shang, T. Kitamura, and H. Hirakata

Ferroelectric switching dynamics and pulse-switching polarization measurements

Tae Kwon Song, Y.W. So, and T.W. Noh

UV-induced changes of the polarization profile of PZT thin films

Wen-Mei Lin, G. Suchanek, G. Gerlach, F. Ahamed, G. Subramanyam

In-plane dielectric characterization of $\text{PbZr}_{0.3}\text{Ti}_{0.07}\text{O}_3$ thin film

D.Y. Wang, W.L. Cheng, Y. Wang, H.L.W. Chan, and C.L. Choy

Optical characterization of P(VDF-TrFE) copolymer films by the prism coupling technique

D.Y. Wang, S.T. Lau, H.L.W. Chan, and C.L. Choy

Piezoelectric resonance in high-strain ferroelectric $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})_{1-x}\text{Ti}_x\text{O}_3$ (PMNT $_x\%$) crystals

F.-T. Wang, Chi-Shun Tu, W.-T. Hsu, and C.-T. Tseng

Resistance switching effect of $\text{Ag/Ln}_{1-x}\text{Ca}_x\text{MnO}_3/\text{Pt}$ sandwich structure

Q. Wang, D.S. Shang, L.D. Chen, R. Dong, T.L. Chen, and X.M. Li

Characterization of Ag-Ge-Te thin films for programmable metallization cell memory device

Cheol-Jung Kim, Kyu-Jeong Choi, Soon-Gil Yoon, Wong-Chul Shin, Sang-Ouk Ryu, Sung-Min Yoon, Nam-Yeal Lee, and Byoung-Gon Yu

Field emission from emitter with MOS structure using BaTiO_3 films as insulator

Yuan Guang, Liu Aiqing, Gu Changzhi, and Song Hang

The structure and optical properties of Sm^{3+} doped PLZT ceramics

Y. Zhang, A.L. Ding, and Q.R. Yin

HIGH-K MATERIALS AND DEVICES

Well-behaved metal-oxide-semiconductor capacitor characteristics of zirconium oxide films fabricated by surface sol-gel process

Qi-Yue Shao, Ai-Dong Li, Jin-Bo Cheng, Yi-Dong Xia, Di Wu, Zhi-Guo Liu, and Nai-Ben Ming

Dielectric and piezoelectric properties of PMNT ferroelectric ceramics using LiF addition

Linhong Cao, Xi Yao, and Zhuo Xu

Effect of lithium salts on sintering temperature and electric properties of PMNT ceramics

Linhong Cao, Xi Yao, and Zhuo Xu

Growth kinetics and post-annealing effects in the structural and electrical properties of Al_2O_3 deposited by atomic layer deposition

Che-Hao Chang and Tai-Bor Wu

Effects of laser annealing and the electrical characteristics of

$(\text{Ba}_{0.7}\text{Sr}_{0.3})(\text{Ti}_{0.9}\text{Zr}_{0.1})\text{O}_3$ thin films

Kai-Huang Chen, Kuo-Sheng Kao, Chien-Chuan Cheng, Ying-Chung Chen, and Ting-Chang Chang

Comparison between atomic-layer-deposited HfO_2 films using O_2 or H_2O oxidant and $\text{Hf}[\text{N}(\text{CH}_3)_2]_4$ precursor

Moonju Cho, Doo Seok Jeong, Jaehoo Park, Hong Bae Park, Suk Woo Lee, Tae Joo Park, and Cheol Seong Hwang

Resistive switching mechanism of TiO_2 thin films grown by atomic-layer-deposition

B.K. Choi, D.S. Jeong, S.K. Kim, S. Choi, J.H. Oh, C. Rohde, H.J. Kim, C.S. Hwang, R. Waser, B. Reichenberg, and S. Tiedke

Effects of RPN and FGA on nanostructure, paramagnetic centers, and properties of ALD $\text{HfO}_x/\text{chemical oxide/Si}$ stacks

Anirban Das, Diefeng Gu, Jing Li, and Sandwip K. Dey

An improved model of oxidation kinetics of silicon

F. Fang, M.J. Ha, X.Y. Qiu, and J.-M. Liua

The characteristics of Y_2O_3 thin film for metal/ferroelectric/insulator/semiconductor field effect transistor (MFIS-FET)

Chang-Po Hsiung, Yi-Chan Chen, Chun-Yu Chen, Jon-Yiew Gan

Dielectric properties of MnO_2 -doped 0.9PMN-0.1PT ceramics under a DC bias field

Shiming Huang, Chude Feng,

ISIF 2005 PAPERS

Lidong Chen, and Xiaowei Wen

Atomic layer deposition of $\text{Bi}_2(\text{Ti}_{2-x}\text{Si}_x)\text{O}_{7-y}$ thin films for capacitor dielectric applications

Gyu Weon Hwang, Wan Don Kim, and Cheol Seong Hwang

Dielectric characteristics of polymer-ceramic-metal composites for the application to embedded passive devices

Eun-Sub Lim, Kong-Chul Lee, Jeong-Joo Kim, Eun-Tae Park, Yul-Kyo Chung, and Hee-Young Lee

High-dielectric-constant TiO_2 thin films on a Ru electrode grown at 250°C by atomic-layer deposition

Seong Keun Kim, Wan-Dong Kim, Kyung-Min Kim, and Cheol Seong Hwang

Microstructure evolution and dielectric properties of $(\text{Ba}_{1-x}\text{Sr}_x)_4\text{Nb}_2\text{O}_{10}$ ceramics with different Ba/Sr ratio

Chang-Dae Oh, Myoung-Sup Kim, Joon-Hyung Lee, Jeong-Joo Kim, Hee Young Lee, and Sang-Hee Cho

Electrical characterization of nickel oxide thin films deposited by reactive sputtering for memory application

Jang Woo Lee, Ik Hyun Park, Myung Jae Lee, Soon Ae Seo, and Chee Won Chung

Fabrication of HfO_2 thin film capacitors with a polycrystalline Si gate electrode and a low interface trap density

Suk Woo Lee, Sug Hun Hong, Jaehoo Park, Moonju Cho, Tae Cho Park, and Cheol Seong

Hwang

Investigation of nitrogen *in situ* incorporated Al_2O_3 layer using ALD with P+ polycrystalline-silicon germanium gate

Chi Hoon Lee, Jaehoo Park, Cheol Seong Hwang, and Hyeong Joon Kim

Properties of multilayer ceramic capacitor with BaTiO_3 thin layers deposited by E-beam evaporation

Sang-Shik Park

Stability of metal electrodes for MLCC with BaTiO_3 thin layers by deposition method

Sang-Shik Park

The influence of the oxygen concentration of atomic-layer-deposited HfO_2 films on the dielectric property and interface trap density

Jaehoo Park, Moonju Cho, Seong Keun Kim, Tae Joo Park, Suk Woo Lee, Sug Hun Hong, and Cheol Seong Hwang

Interfacial and structure characteristics of $\text{CaZrO}_x/\text{SiO}_2/\text{Si}(100)$ stack structure prepared by pulsed laser deposition

X.Y. Qiu, H.W. Liu, F. Fang, M.J. Ha, and J.-M. Liua

Electrical characterization of zirconium oxide layers grown by liquid delivery MOCVD

M. Lisker, M. Silinskas, S. Matichyn, and E. Burté

Influence of temperature on in-plane dielectric properties of barium strontium titanate thin films

X.y. Zhao, D.Y. Wang, Y. Wang, H.L.W. Chan, and C.L. Choy

Impact of metallic electrodes on the dielectric properties of bismuth-based ceramics

Cai Xiukai, Yang Deping, Yu Lirong, and Fan Suhua

Pressure induced dielectric constant suppression in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics

Aiping Chen, Wei Li, Xiaomei Lu, and Jinsong Zhu

Modification of workfunction of Ti by self-assembled monolayer of molecules on $\text{SiO}_2/\text{P-Si}$

Diefeng Gu, Rizaldi Sistiabudi, and Sandwip K. Dey

Study on the structure and dielectric properties of $\text{Ba}(\text{Sn}_x\text{Ti}_{1-x})\text{O}_3$ thin films grown by a sol-gel process

Song Sannian, Zhai Jiwei, Yao Xi, and Zhang Liangying

The microstructure characteristics and dielectric behaviors of the compositionally graded $\text{Ba}(\text{Ti},\text{Sn})\text{O}_3$ thin films

Jiwei Zhai, Xi Yao, T.F. Hung, Zhengkui Xu, and Haydn Chen

Improvement of electrical properties of sol-gel derived $(\text{Ba}_{0.8}\text{Sr}_{0.2})\text{TiO}_3$ thin films by inserting seed layer

Zhi Fu, Aiying Wu, and P.M. Vilarinho

Preparation and dielectric properties of $\text{Ba}(\text{ZrTi}_{1-x})\text{O}_3$ thin films grown by a sol-gel process

Cheng Gao, Jiwei Zhai, Xi Yao, and Liangying Zhang

MEMS, PYROELECTRIC/IR AND OPTOELECTRIC MATERIALS

Metal/ferroelectric/
insulator/semiconductor

ISIF 2005 PAPERS

structure using Ga_2O_3 films prepared by plasma enhanced atomic layer deposition

Sang-A Lee, Se-Young Jeong, Jae-Yeol Hwang, Chae-Ryong Cho, and Won-Jae Lee

Effects of manganese addition on pyroelectric properties of $(\text{Bi}_{0.5-x}\text{Na}_{0.5}\text{TiO}_3)_{0.94}(\text{BaTiO}_3)_{0.06}$ ceramics

J. Abe, M. Kobune, T. Nishimura, and T. Yazawa

Electro-optic effect in ferroelectric $\text{Na}_{0.5}\text{K}_{0.5}\text{NbO}_3$ thin films on oxide substrates

Mats Blomqvist, Sergey Khartsev, and Alex Grishin

Physical properties of hydrothermally grown PZT epitaxial film

Kyoon Choi, Chang-Jung Kim, Ho-Yong Lee, and Byung-Ik Kim

Barium strontium zirconate titanate (BSZT) thin films for optical waveguide applications

S.H. Choy, D.Y. Wang, J.Y. Dai, H.L.W. Chan, and C.L. Choy

Effect of STO seeding in PZT films crystallization

Defay Emmanuel, Wolozan David, and André Bernard

Piezoelectric and dielectric properties of transparent PZN-PLZT ceramics

Guochu Deng, Aili Ding, Zeng Xia, and Tao Liu

Heteroepitaxial $\text{Na}_{0.5}\text{K}_{0.5}\text{NbO}_3/\text{La}_{0.5}\text{Sr}_{0.5}\text{CoO}_3$ electro-optical cell

S.I. Khartsev, M.A. Grishin, A.M. Grishin, and U.O. Karlsson

Electromechanical properties of sputtered single crystal PMNT thin films

H. Harada, I. Kanno, T. Suzuki, H. Kotera, K. Wasa, T. Matsunaga, H. Okino, and T. Yamamoto

Crystallization and photoluminescence characteristics of ZnO thin films deposited by RF magnetron sputtering

P.T. Hsieh, C.M. Wang, Y.C. Chen, Y.N. Guo, and C.C. Hu

Hysteresis free multilayer ceramic actuator by a charge control method

Soon-Jong Jeong, Dae-Su Lee, Jae-Sung Song

Development of reactive ion etching for ferroelectric MEMS

Y. Kokaze, M. Ueda, M. Endo, and K. Suu

Preparation and piezoelectric properties of sol-gel derived niobium-doped lead zirconate titanate films for MEMS applications

K.W. Kwok, K.P. Kwok, R.C.W. Tsang, H.L.W. Chan, and C.L. Choy

Effect of deposition conditions on the ferroelectric properties of barium sodium niobate thin films deposited by ion beam sputtering

Hee Young Lee, Junhui Lou, Jeong-Joo Kim, and Sang-Hee Cho

Effects of seed layer thickness and deposition atmosphere on crystallization and ferroelectric properties of SBN thin films

Seong-Won Jeong, Jae-Hoon Jang, Dong-Chan Woo, Hee-

Young Lee, Jeong-Joo Kim, and Sang-Hee Cho

Metal-insulator transitions in polycrystalline VOX thin films

Jang Woo Lee, Ik Hyun Park, Choong-Rae Cho, Sungli Cho, Inkyeong Yoo, and Chee Won Chung

Fabrication and characterization of ferroelectric nanocrystal and polymer SBN/PC composite films

Ai-Dong Lia, Wen-Chao Liub, Jing Tanb, Di Wua, and Nai-Ben Ming

Large area deposition of transversely polarized PZT thin films

Wen-Mei Lin, G. Suchanek, Vinay S. Vidyarthi, G. Gerlach, C. Thiele, A. Deyneka, L. Jastrabik, and J. Hartung

Optical and electrical properties of gallium oxide thin film deposited by plasma-enhanced atomic layer deposition (PE-ALD)

W.J. Lee, G.X. Liu, F.K. Shan, G.H. Lee, I.S. Kim, and B.C. Shin

Development of piezoelectric thick films with a/b-axis-oriented

$\text{B}_{14-x}\text{Pr}_x\text{Ti}_3\text{O}_{12}$

Hirofumi Matsuda and Takashi Iijima

Phase transition in La-doped Pmnt thin films derived from sol-gel method

X.J. Meng, J.L. Sun, T. Lin, J.H. Ma, L. Wang, A.Y. Liu, Y.W. Li, and J.H. Chu

Investigation on etch characteristics of GeSbTe thin films for phase-change memory

Ik Hyun Park, Jang Woo Lee,

ISIF 2005 PAPERS

and Chee Won Chung

Effects of PZT buffer layers on
PZFNT ferroelectric thin films

*Jiagen Peng, Chaowei Zhong,
Shuren Zhang, Mingxia Sun, Yue
Pang, and Wanli Zhang*

Influence of N₂ spinning atmo-
sphere on electrical properties of
Ba(Ti_{0.85}Sn_{0.15})O₃ ferroelectric
thin films for dielectric bolometer
mode infrared sensor applications

*D. Popovici, S. Murakami, M.
Matsumoto, M. Noda, and M.
Okuyama*

Structural micro structural and
electrical properties comparison of
PZT films deposited on different
bottom electrodes

*Caroline Soyer, G. Wang, E.
Cattan, D. Rémiens*

Pyroelectric properties of Ta-doped
PMN-PT ceramics

J.T. Wang and C. Zhang

Phase transitions of poly(vinylidene
fluoride) under electric fields

*Yun Ye, Yadong Jiang, Zhiming
Wu, and Hongjuan Zeng*

Preparation and characterization of
PLCT thick films

*Jin T. Wang, Xiaowu Yuan,
Dingquan Xiao, Yu Fang,
Zhaohui Pu, Wu Jiagang, and
Jianguo Zhu*

Dielectric response of PZN-PZT
ceramics with lanthanum doping

*Xia Zeng, Aili Ding, Xiyun He,
Tao Liu, Guochu Deng, and
Xinsen Zheng*

Non-columnar grained microstruc-
ture in ferroelectric PZT thin films

via chemical solution deposition - A
possible way of lifting-off thin films
for MEMS applications

*NinXin Zhang, Yi Yang, TianLing
Ren, and LiTian Liu*

Fabrication of PZT thin films with
TiOB_xB buffer layers by RF
magnetron sputtering

*Chaowei Zhong, Jiagen Peng,
Shuren Zhang, Mingxia Sun, Yue
Pang, and Wanli Zhang*

An active pyroelectric sensor with
differential ferroelectric cells

*Zheng Chen, Jolanta Celinska,
Carlos A. Paz de Araujo, Larry
D. McMillan, and Joseph V.
Mantese*

Epitaxial growth and structural
characterization of transparent
conducting ZnO:Al thin film
deposited on GaN substrate by RF
magnetron sputtering

*Jae-Yeol Hwang, Myoung-Kyu
Ha, Chae-Ryong Cho, Sang-A
Lee, and Se-Young Jeong*

Screen printed PZT thick films
using chemical solution modified by
hybrid deposition techniques for
MEMS devices

*Seung-Hyun Kim, Jung-Hoon
Yeom, Chang Young Koo, Jong-
Hyeon Cheon, Hyun-Jung Woo,
Young Soo Yoon, and Jowoong
Ha*

Microstructure characterization of
ferroelectric single crystal substrate
surface for SAW devices of prop-
erty degradation

*RongLi Mei, JiHong LuSB, and
ChangCH*

The analysis of cymbal transducer's
effective piezoelectric coefficients

based on ANSYS

Wang Lina and Li Denghua

Integration of dielectric
Ba_{0.6}Sr_{0.4}(Ti_{0.94}Al_{0.06})O₃ thin
films with silicon substrates via Ir/
MgO bi-layer buffers

*Tong Lai Chen, Xiao Min Li,
Wen Biao Wu, Wei Dong Yu,
Xiang Dong Gao, and Xia Zhang*

MEMS, PYROELECTRIC/IR AND OPTOELECTRIC DE- VICES

A bi-stable micro-machined piezo-
electric transducer for mechanical to
electrical energy transformation

*K. Dogheche, B. Cavalier, P.
Delobelle, L. Hirsinger, E.
Cattan, D. Rémiens, B. Charlot.
S. Basrour, and S. Ballandras*

A novel miniature optical switch
with double vertical micromirrors
driven by piezoelectric cantilever

*Huajun Fang, Litian Liu, Ningxin
Zhang, Xiaoming Wu, and
Tianling Ren*

Design and optimization of micro
scanner driven by folded piezoelec-
tric unimorph actuators using PZT
films

*Huajun Fang, Litian Liu,
Xiaoming Wu, Ningxin Zhang,
and Tianling Ren*

Fabrication of piezoelectric 1-3
composite for forward-looking
ultrasonic probes

*Chang-Jung Kim, Jae-Ick Cho,
and Byung-Ik Kim*

Micromachined polymer piezoelec-
tric membrane acoustic sensor

*T.Y. Lam, H.L.W. Chan, and C.L.
Choy*

ISIF 2005 PAPERS

Substrate and structure dependencies of the effective piezoelectric coefficient ($d_{33,\text{eff}}$) of PZT thin films: Simulations and measurements

K. Prume, P. Gerber, C. Kügeler, U. Böttger, R. Waser, T. Schmitz, and S. Tiedke

The thin film thickness dependence of ferroelectric infrared detector properties

J.L. Sun, T. Lin, J.H. Ma, X.J. Meng, F.W. Shi, X.D. Zhang, L. Wang, and J.H. Chu

Micromachined polymer piezoelectric membrane acoustic

T.Y. Lam, H.L.W. Chan, and C.L. Choy

Design of a novel piezoelectric acoustic sensor using surface micromachining

Yi Yang, Tian-Ling Ren, and Li-Tian Liu

The effect of DC bias on the resonant frequency of PZT micro-resonators

Junjun Wang, Jia Zhu, Yiping Huang, and Thomas Gessner

Uniformity improvement of PZT based ultrasonic transducer

Yi-Ping Zhu, Tian-Ling Ren, Yi Yang, Xiao-Ming Wu, Ning-Xin Zhang, Li-Tian Liu, and Zhi-Jian Li

The effect of geometry on the displacement amplification and resonance characteristics of the cymbal transducers

Cheng-Liang Sun, S.S. Guo, W.P. Li, Z.B. Xing, G.C. Liu, and X.-Z. Zhao

MULTI-FERROICS AND GRADED FERROELECTRICS

All-epitaxial multi-layered $(\text{Bi,L a})_4\text{Ti}_3\text{O}_{12}/\text{Pb}(\text{Zr}_{0.4}\text{Ti}_{0.6})\text{O}_3$ ferroelectric thin films on SrTiO_3 substrates grown by pulsed laser deposition

Dinghua Bao, Xinhua Zhu, Marin Alexe, and Dietrich Hesse

Piezoelectric properties of compositionally graded epitaxial $\text{Pb}(\text{Zr,Ti})\text{O}_3$ thin films prepared by multi-RF-sputtering

I. Kanno, K. Nakano, T. Suzuki, H. Kotera, and K. Wasa

Finite size effect of the dielectric property in $\text{BaTiO}_3/\text{SrTiO}_3$ superlattice, BaTiO_3 and SrTiO_3 single oxide layer

Juho Kim, Leejun Kim, Donggeun Jung, and Jaichan Lee

Phase developments, microstructures, and ferroelectric properties of BiFeO_3 thin films prepared via solution

Jong Kuk Kim, Sang Su Kim, Mun Heum Park, Min Ju Gang, Eun Jin Choi, and Tae Gon Ha

Impedance spectroscopy and time dependent relaxation behavior of PMN-PZT actuators joined by ceramic slurry

Jung-Hyuk Koh, Mun-Sun Ha, and Soon-Jong Jeong

Low temperature growth of (100)-oriented BiFeO_3 thin films

Yi-Hsien Lee and Jenn-Ming Wu

Pressure-dependent surface chemistry on the BiFeO_3 thin films

Yi-Hsien Lee, Jenn-Ming Wu, Yi-

Chan Chen, Yi-Hsien Lu, and Heh-Nan Lin

Preparation and study on compositionally graded $\text{Pb}(\text{Zr,Ti})\text{O}_3$ ferroelectric thin films

Li Jiankang and Yao Xi

Growth of $\text{LaMnO}_3/\text{SrMnO}_3/\text{NdMnO}_3$ artificial superlattices

Phan Bach Thang, Kwang-Ryul Lee, Jin Woo Kim, and Jaichan Lee

Evidence of additional transition in ferroelectromagnet

$\text{Pb}(\text{Fe}_{1/2}\text{Nb}_{1/2})\text{O}_3$

Jun-Ming Liu, Hongbo Huang, and Zhiguo Liu

Ferroelectric properties of $\text{BiFeO}_3\text{-Sr}_{0.8}\text{Bi}_{2.2}\text{Ta}_2\text{O}_9$ solid solutions

Caixia Yang, Haifeng Shi, Yinyin Lin, Ting-Ao Tang

The characteristics of multiferroic thin films using sol-gel derived $\text{BiFeO}_3\text{-PbZrO}_3$ system

Jung-Hoon Yeom, Seung-Hyun Kim, Chang Young Koo, Jong-Hyun Cheon, Hyun-Jung Woo, and Jawoong Ha

Study of ferroelectric properties of $(\text{Pb}_{1-x}\text{La}_x)_5\text{Ge}_{3-5x/4}\text{O}_{11}$ ($x=0.05$) by dielectric constant measurement

Dae-Hwang Yoo, Jong-Ho Park, Chung-Sik Kim, Ho-Soon Yang, Kyong-Soo Hong, Byung Kee Moon, and Byung Chun Choi

Observations of giant ferroelectric polarization in the multiferroic BiFeO_3 thin films

Kwi Young Yun, Dan Ricinski, Minoru Noda, Saburo Nasu, and Masanori Okuyama

ISIF 2005 PAPERS

Ferroelectric properties of multi-ferroic $\text{BiFeO}_3\text{-Pb}(\text{Zr,Ti})\text{O}_3$ thin films for high density FeRAM devices

Seung-Hyun Kim, Chang Young Koo, Jong-Hyeon Cheon, Jung-Hoon Yeom, Hyun-Jung Woo, Hyunjung Shin, Young Soo Yoon, and Jowoong Ha

MICROWAVE MATERIALS AND DEVICES

Microwave dielectric properties for $(\text{Pb,Lu})(\text{Zr,Ti})\text{O}_3$ thin films on MgO (001) substrate grown by chemical solution deposition

Seung Eon Moon, Min-Hwan Kwak, Young-Tae Kim, Han-Cheol Ryu, Su-Jae Lee, and Kwang-Yong Kang

Characteristic of (100)-textured $\text{Pb}(\text{Sr}_x\text{Ti}_{1-x})\text{O}_3$ thin film used for DRAM and tunable device application

Yan-Kai Chiou and Tai-Bor Wu

Microwave tunable units based on $(\text{Ba,Sr})\text{TiO}_3$ ceramics with various additives

S.F. Karmanenko, A.I. Dedyk, A. Semenov, E.A. Nenasheva, , Ju.V. Pavlova, and A.D. Kanareykin

High-performance micromachined planar inductors for RF applications

Patrick Carazetti, Marc-Alexandre Dubois, and Nicolas-F. de Rooij

BMT buffer layer effect on the microwave dielectric properties of BST thin films grown on sapphire substrate

Joseph P.T., Yi-Chun Chen, Yin-Hao Chu, Hsiu Fung Cheng, and I-Nan Lin

Dry etching of highly textured AlN films by inductively-coupled-plasma method

Cheng-Hsien Chou, Yung-Chen Lin, Nyan Hwa Tai, Jin-Hua Huang, and I-Nan Lin

Preparation of highly textured AlN films using Mo and Ti electrodes for integrated AlN -based film bulk acoustic resonators

Cheng-Hsien Chou, Yung-Cheng Lin, Nyan Hwa Tai, Jin-Hua Huang, and I-Nan Lin

Microwave characteristics of tunable $\text{Ba}(\text{Zr,Ti})\text{O}_3$ thin films in coplanar structure

Ling-Hui Huang, Wen-An Lan, and Tai-Bor Wu

Microwave phase shifter based on piezo-controlled layered dielectric structure

Yuriy Poplavko, Victor Kazmirenko, Moongi Jeong, and Sunggi Baik

Improvement of electrical properties of RF sputtered $\text{Ba}_x\text{Sr}_{1-x}\text{TiO}_3$ thin films by applying the initiation layer

T. Jimbo, I. Kimura, Y. Nishioka, S. Kukuchi, and K. Suu

Microstructure and dielectric properties of textured SrTiO_3 thin films

Sean P. Keane, Steffen Schmidt, Jiwei Lu, Dmitri O. Klenov, and Susanne Stemmer

A study of ferroelectric phase shifter with photonic-bandgap (PBG) structure

Young-Tae Kim, Han-Cheol Ryu, Seung-Eon Moon, Min-Hwan Kwak, Su-Jae Lee, and Kwang-Young Kang

Stress controlled ferroelectric $(\text{Ba}_{0.5}\text{Sr}_{0.5})\text{TiO}_3$ thin films prepared on $\text{Gd}_2\text{O}_3/\text{MgO}(001)$ by a pulsed laser deposition

Jun-Ki Chung, Sang Su Kim, Dong Sik Bae, Myung-Ho Kim, Tae Kwon Song, and Won-Jeong Kim

Structural and microwave properties of ferroelectric $(\text{Ba}_x\text{Sr}_{1-x})\text{TiO}_3$ films prepared by a sol-gel method

Sang Su Kim, Mun Heum Park, Min Ju Gang, Jun-Ki Chung, Jong Kuk Kim, Won-Jeong Kim, In-Sung Kim, Jae-Sung Song, Seung Eon Moon, Min-Hwan Kwak, Su-Jae Lee, and Kwang Yong Kang

Barium zirconate titanate-based inorganic dielectric material with high permittivity as a lead-free insulator for semiconductor applications

M. Kobune, K. Yamakawa, and T. Yazawa

A Ka-band ferroelectric phase shifter using modified coplanar waveguide

Min Hwan Kwak, Han-Cheol Ryu, Seung Eon Moon, Young-Tae Kim, Su-Jae Lee, and Kwang-Young Kang

Microwave characteristics of tunable ferroelectric thin films in metal-insulator-metal structure

Wen-An Lan and Tai-Bor Wu

Dielectric properties of paraelectric $\text{Ba}(\text{Zr,Ti})\text{O}_3$ thin films for tunable microwave applications

Su-Jae Lee, Min-Hwan Kwak, Seung-Eon Moon, Han-Cheol Ryu, Young-Tae Kim, and Kwang-Young Kang

ISIF 2005 PAPERS

Characterization of W-doped $(\text{Ba}_{0.5}\text{Sr}_{0.5})\text{TiO}_3$ thin films using LaNiO_3 electrode

Chun-Sheng Liang and Jenn-Ming Wu

The effect of bottom electrode on tunable ferroelectric thin film of $\text{Ba}(\text{Zr,Ti})\text{O}_3$

Huann-Ru Lin, Wen-An Lan, and Tai-Bor Wu

$\text{Bi}_{1.5}\text{Zn}_{1.0}\text{Nb}_{1.5}\text{O}_7$ thin films for tunable microwave applications

Jiwei Lu, Jaehoon Park, Nadia Pervez, Robert A. York, Alexander K. Tagantsev, and Susanne Stemmer

Lowering the dielectric losses of $(\text{Ba,Sr})\text{TiO}_3$ sputtered thin films by Sn-substitution

V. Reymond, D. Michau, O. Bidault, and M. Maglione

Electrical and microstructural properties of Y doped RF-sputtered $(\text{Ba}_x\text{Sr}_{1-x})\text{TiO}_3$ thin films for GHz decoupling applications

Paul C. McIntyre

MEMS based bulk acoustic wave resonators for mobile applications

Kuangwoo Nam, Yunkwon Park, Byeungju Ha, Seogwoo Hong, Gwangseo Park, and Insang Song

Microwave dielectric thick films by employing aerosol deposition method for microwave-circuit miniaturization

Song-Min Nam, Naoko Mori, Mihoko Momotani, Hirofumi Kakemoto, Satoshi Wada, Jun Akedo, and Takaaki Tsurumi

Fully integrated high frequency magnetic devices in electroplating and low temperature processes

Jae Y. Park

Sol-gel derived $(\text{Ba,Sr})\text{TiO}_3$ thin films for microwave tunable devices

Jooyoung Kim, Jaemoon Pak, Kuangwoo Nam, and Gwangseo Park

The dependence of the tunability in $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{TiO}_3$ thin films on strain states

Jinsoo Kim, J.S. Choi, and B.H. Park

Geometrical scaling effects in high permittivity capacitors

Nadia K. Pervez, Jaehoon Park, Jiwei Lu, Susanne Stemmer, and Robert A. York

Tunable 4-pole piezoelectric filter based on two dielectric resonators

P.K. Petrov, N.McN Alford, O. Buslov, V. Keis, I. Kotelnikov, P. Kulik, and A. Kozyrev

Design of a Ka-band coupled microstrip line ferroelectric phase shifters

Han-Cheol Ryu, Seung Eon Moon, Su-Jae Lee, Min-Hwan Kwak, Young-Tae Kim, and Kwang-Yong Kang

Ferroelectric film phase shifter under elevated microwave power

A. Kozyrev, T. Samailova, O. Soldatenkov, O. Buslov, A. Ivanov, Ning-Xin Zhang, Tian-Ling Ren, D. Ginsley, and T. Kaydanova

Nonlinear dielectric properties of $(\text{Ba,Sr})\text{TiO}_3$ and $\text{Ba}(\text{Zr,Ti})\text{O}_3$ thin films for tunable microwave device

applications

Xin-Gui Tang, Jie Wang, and Helen Lai-Wah Chan

Influence of temperature on in-plane dielectric properties of barium strontium titanate thin films

X.Y. Zhao, D.Y. Wang, Y. Wang, H.L.W. Chan, and C.L. Choy

Dielectric tunability of $\text{Ba}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ thin film

Wen Cheng Xu, D.Y. Wang, Y.L. Cheng, Y. Wang, and H.L.W. Chan

Size and boundary effect of ferroelectric thin films for integrated passive components for RF communication

NinXin Zhang, Yi Yang, YiPing Zhu, TianLing Ren, and LiTian Liu

Ferroelectric right/left-handed transmission line phase shifter

O.G. Vendik, I.B. Vendik, and S.P. Subko

Microwave dielectric properties of Mn-doped nanostructured BST and PST thin films

Guru Subramanyam, Chonglin Chen, and Sandwip Dey

MODELING AND THEORY

A theoretical study of the influence of the electric and polarization distribution on ferroelectric thin films switching properties

Laurent Baudry

Investigation and interpretation of imprint phenomena observed on oxygen deficient

$\text{Pb}(\text{Zr}_{0.25}\text{Ti}_{0.75})\text{O}_3$ thin film

ISIF 2005 PAPERS

R. Bouregba, G. Le Rhun, and G. Pullain

A fatigue model for PZT thin films
Fugui Chen, Chengtao Yang, Jingsong Liu, Zhaoming Tian, and Shuren Zhang

Modeling and simulation of SAW filter
Jiahe Dong, Chengtao Yang, Shuren Zhang, Zhu Chen, and Zhaoming Tian

Spice modeling of phase-change resistance in PCRAM
Yang Hong, Yinyin Lin, Ting Ao Tang, Bomy Chen

Electronic structure of bismuth titanate-base films $\text{Bi}_{4-x}\text{R}_x\text{Ti}_3\text{O}_{12}$ dependence on substitution atom
Yunseok Kim, Yang Soo Kim, SungKwan Kim, Young-Ah Jeon, Kwangsoo No

Lattice instability and dielectric response of $\text{SrTiO}_3/\text{BaTiO}_3$ artificial superlattice: First principles study
Leejun Kim, Juho Kim, Donggeun Jung, Umesh V. Waghmare, and Jaichan Lee

Electronic structure of α and β -phase of poly (vinylidene) fluoride
J.C. Li, C.L. Wang, K. Yang, X.Y. Wang, M.L. Zhao, and J.L. Zhang

Simulation of stress-induced enhanced dielectric permittivity in ferroelectric superlattice
V.C. Lo and W. Jiang

The simulation of abnormal dielectric properties of BTO/LAO superlattice

Wei Lu, Dingquan Xiao, Guanglong Yu, and Jianguo Zhu

Raman spectra of complex perovskites
Sergey Prosandeev, Igor Levin, and Lubomir Jastrabik

Diffuse first order phase transitions
M.S. Prosandeeva, S.A. Prosandeev, and Lubomir Jastrabik

The imprint velocity of $\text{Pb}(\text{Zr,Ti})\text{O}_3$ ferroelectric films at room temperature
Mingxia Sun, Chaowei Zhong, Fugui Chen, Jiagen Peng, Shuren Zhang

Design and simulation of a novel operation mode of integrated ferroelectric microsensors
Chao Wang, Zheyao Wang, Tianling Ren, and Litian Lu

Simulation of domain patterns in fatigued ferroelectric films
C.L. Wang, J.C. Li, M.L. Zhao, K. Yang, X.Y. Wang, and J.L. Zhang

Modeling ferroelectric domain switching delay for ferroelectric capacitor
Chao-Gang Wei, Tian-Ling Ren, Zhi-Gang Zhang, Dan Xie, Jun Zhu, Li-Tian Liu

The simulation of epitaxial growth of ABO_3 type thin films through call diffusion on the surface
Yu Guanglong, Zhu JiangGuo, Zhu Jiliang, Zhang Quinlei, Lu Wei, and Xiao Dingquan

Researches on the growth behavior of PbTiO_3 thin films

Yu Guanglong, Zhu JiangGuo, Zhu Qinglei, Lu Wei, and Xiao Dingquan

Finite element analysis of underwater cymbal transducers with large displacement and fast response time
Shishang Guo, Weiping Li, Chengliang Sun, Xing-Zhong Zhao

Electronic structure of relaxor PMN
K. Yang, C.L. Wang, and J.C. Li

Piezoelectric and dielectric properties of Al_2O_3 -added $\text{Na}_{0.25}\text{K}_{0.25}\text{Bi}_{0.5}\text{TiO}_3$ lead-free ceramics
Suchuan Zhao, Lina Zhang, Guorong Li, Tianbao Wang, and Aili Ding

Domain motion contribution to the dielectric of ferroelectric thin films
Zeyu Zheng, Jingsong Liu, Shuren Zhang, and Chengtao Yang

SPICE modeling of ferroelectric high-K capacitors for tunable circuit applications
Asad Jamil, T.S. Kalkur, and Nick Kramer

The influence of gradient stress on the dielectric properties of perovskite ferroelectric films
Liben Li

Investigation of the anomalous polarization offsets phenomenon in ferroelectric thin films
Y. Zhou and F.G. Shina

DOMAINS AND NANOSTRUCTURES

Size dependence of initial polarization direction in nano-sized

ISIF 2005 PAPERS

epitaxial PbTiO₃ islands fabricated by hydrothermal epitaxy below T_C

S.H. Ahn, W.W. Jung, and S.K. Choi

Growth by pulsed laser deposition, microstructure, and ferroelectric properties of BaTiO₃ and SrBi₂Ta₂O₉ nanostructures within well-ordered arrays

Wenhui Ma, Marin Alexe, and Dietrich Hesse

Nanoscale PZT structures and capacitors obtained by gold nanotube membrane lift-off lithography

M. Alexe, Woo Lee, S.K. Lee, K. Nielsch, D. Hesse, and U. Gösele

Growth and characteristics of nano-ferroelectric domains inside a highly dense array of alumina nano-pores

S. Berger and D. Yadlovker

Rietvelt refinement analysis of solvothermally synthesized barium titanate powder

Soon-Kyu Kwon, Kyoong Choi, Jae-Hwan Pee, and Eui-Seok Choi

Etch characteristics of CoFeSiB magnetic films by inductively coupled plasma reactive ion etching for magnetic random access memory

Byul Shin, Ik Hyun Park, Tae Wan Kim, and Chee Won Chung

Formation of Si nanostructures by dry etching using self-organized metal oxide nanopillar mask

Ik Hyun Park, Jang Woo Lee, Soo-Hwang Jeong, and Chee Won Chung

Characterisation of nanocrystalline PZT synthesised via a hydrothermal method

S. Harada and S. Dunn

Switchable single C-domain formation in a heteroepitaxial PbTiO₃ thin film on a (001)Nb-SrTiO₃ substrate fabricated by means of hydrothermal epitaxy

W.W. Jung, H.C. Lee, W.S. Ahn, S.H. Ahn, and S.K. Choi

Domain structure and mechanical properties of the superionic Cu₆PS₅Br(1)9 ferroics

D. Kaynts, V. Pan'ko, I. Martunyuk-Lototska, O. Krupych, I. Gimyk, and R. Vlokh

Fabrication of LiNbO₃ nanodots on diamond substrates

Hyun Jun Kim, Dal-Young Kim, Sang-Jong Kim, Wang Hyun Park, Chong-Yun Kang, Hyun Jai Kim, and Seok-Jin Yoon

Grain/domain interaction and its effect on bit size distribution in ferroelectric films

Yunseok Kim, Seungbum Hong, Hongsik Park, Seung-Hyun Kim, Dong-Ki Min, and Kwangsoo No

Morphotropic phase boundary movement in epitaxial PZT thin films - 2D capacitor size effect

Kilho Lee and Sunggi Baik

Nano-sized domain formation of PbZrO₃/PbTiO₃ artificial superlattices by scanning probe microscopy

Jaichan Lee, Taekjib Choi, Bongki Lee, and Hyunjung Shin

The performance of Ge₂Sb₂Te₅ material and nonvolatile phase-change-memory device

Yun Ling, Yinyin Lin, Lianzhang Lai, Baowei Qiao, Yunfeng Lai, Jie Feng, Ting'ao Tang, Bingchu Kai, and Bomy Chen

Controllable charge density in the Si nanocrystals nonvolatile memory

Tiezheng Lu, Jun Shen, Margit Zacharias, Marin Alexe, and Ulrich Gösele

Synthesis and structural study of BaTiO₃ nanoparticles

Chung-Sik Kim, Jong-Ho Park, Dae-Hwang Yoo, Kyong-Soo Hong, Ho-Soon Yang, Byung Kee Moon, Hyo-Jin Seo, Byung-Chun Choi, Su-Tae Jung, Yong-Il Kim, and Kwon-Sang Ryu

A new method to characterize a relative volume to the C-domain in PZT films based on the Raman spectra

Ken Nishida, Syunshuke Wada, Minoru Osada, Shoji Okamoto, Risako Oeno, Hiroshi Funakubo, and Takashi Katoda

Low dielectric constant and hydrophobic nanoporous silica films

Jun Shen, Lanfang Yao, Zhao Feng Wu, Guangming Wu, Bin Zhou, and Xingyuan Ni

Wake-up effect: Self-consistent motion of single domain wall in gadolinium molybdate

V. Shur, E. Nikolaeva, E. Shishkin, I. Baturin, A. Shur, D. Lupascu, and T. Utschig

Evolution of ferroelectric domains, induced by chemical etching in stoichiometric MgO:LiTaO₃

V. Ya. Shur, A.I. Lobov, A.G. Shur, S. Kurimura, Y. Nomura, K. Terabe, X.Y. Lu, and K.

ISIF 2005 PAPERS

Kitamura

Role of nano-scale nonpolar inclusions in polarization reversal in relaxor PZT ceramics

V. Ya. Shur, E.L. Rumyantsev, G.G. Lomakin, O.V. Yakutova, E.V. Nikolaeva, D.V. Pelegov, A. Sternberg, and M. Kosec

Phase stability after an electric-field poling in high-strain ferroelectric $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})_{1-x}\text{Ti}_x\text{O}_3$ (PMNTx%) crystals

Chi-Shun Tu, F.-T. Wang, R.R. Chien, and V.H. Schmidt

Electrical characteristics of Au-nanocrystals embedded in metal-oxide-semiconductor structures

Chan-Chen Wang, Jiun-Yi Tseng, and Tai-Bor Wu

Structures and properties of barium strontium titanate nanoparticles synthesized by a hydrothermal method

Ji Liu, Di Wu, Yu Deng, Aidong Li, and Naiben Ming

Studies on the characterization of the SnO_2 nanowires growth

Ming-Ju Yang and Sheng-Yuan

Chu

Heteroepitaxial growth of the ferroelectric $\text{Pb}(\text{Zr}_{0.2}\text{Ti}_{0.8})\text{O}_3$ thin films on $\text{SrRuO}_3/\text{SrTiO}_3$ structures for nano-data storage

Woo-Sung Lee, Kyoung-Chan Ahn, Nak-Jin Seong, and Soon-Gil Yoon

Finite size effects on the structural and physical properties in BaTiO_3 and SrTiO_3 nanocrystals

Jian Yu and Junhao Chu

Local elasticity response in ferroelectric crystals studied by AFM-based novel probe techniques

H.F. Yu, H.R. Zeng, R.Q. Chu, G.R. Li, H.S. Luo, and Q.R. Yin

Controlled 1dimensional nanostructures of PbTiO_3 : From nanoparticles to nanotubes

Lili Zhao, Martin Steinhart, Jian Yu, Jun Shen, Eckhard Pippel, Petra Göring, Martin Alexe, and Ulrich Gösele

Lithium niobate and doped lithium niobate nanoshell tubes by high-temperature melts wetting

Lili zhao, Martin Steinhart, Jun

Shen, Jian Yu, Petra Göring, Herbert Hofmeister, Marin Alexe, and Ulrich Gösele

Phase transition in $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})_{0.67}\text{Ti}_{0.33}\text{O}_3$ single crystal

Peng Bao, Feng Yan, Xiaomei Lu, Huimin Shen, Jingsong Zhu, and Yening Wang

SPM imaging of domains in periodically poled LiTaO_3 crystals

Yi Kan, Xiaomei Lu, Peng Bao, and Jingsong Zhu

Self-assembly of bismuth oxide nanostructure using the metal-organic decomposition method

J. Ma, Y. Kan, X.M. Lu, and J.S. Zhu

Ferroelectric nanotubes as [3D] DRAM and FRAM self-trenched capacitors

F.D. Morrison, M. Mikaye, V.M. Kugler, and J.F. Scott

Nanoscale piezoelectric and elastic phenomena of ferroelectric domain

H.F. Yu, R.Q. Chu, G.R. Li, H.S. Luo, and Q.R. Yin

The preceding papers were delivered at the

17TH INTERNATIONAL SYMPOSIUM ON INTEGRATED FERROELECTRICS (ISIF 2005)

In addition, five **tutorial sessions** were held:

- Fundamentals of FeRAM circuit design architecture, device modeling
Shoichi Matsui (Fujitsu)
- High density FeRAM process integration
Dirk Wouters (IMEC)
- Materials for MEMS and ferroelectric memories, ferroelectric nanostructures, and multi-ferroics
Marin Alexe (Max Planck)
- The measurement methodology of ferro-component and testing technique of FeRAM as well as ferroelectric device physics
Jason Chen (Symetrix Corporation)
- Ferroelectric and electrode fabrication for 3D structures - MOCVD
Hiroshi Funakubo (Tokyo Institute of Technology)

ARW PAPERS

DIMENSIONALITY EFFECTS AND NON-LINEARITY IN FERROICS

This NATO Advanced Research Workshop was held in Lviv, Ukraine, on 19 - 22 October 2004. The proceedings were published in two volumes of the international journal **FERROELECTRICS** (Volumes 316 and 317, 2005), guest edited by André Perrin (France) and Ihor Stasyuk (Ukraine). In their editorial they say, "We also considered it (the workshop) as a continuation of a series of open Ukrainian-French meetings on ferroelectrics physics; two previous such meetings were held in Kyiv, Ukraine, in 2000 and in Dinard, France, in 2002. We are very pleased to say that above 80 participants from nine countries attended this Workshop."

Special attention was paid to ferroic materials with low dimensionality (thin films and nanosize objects), relaxors, spin glasses, as well as nonlinear phenomena in ferroelectric systems, related to domain walls motion, external field influences, disorder, and others.

Eight invited speaker lectures and 30 contributed oral presentations were delivered. A poster session was held with 48 presentations given. The latest achievements in technology for the film growth by pulsed laser deposition permit a control of the thin film/nanosize system fabrication on atomic scale and thus obtain objects with the properties set on demand. The problems related to an improvement of the quantitative characteristics of the low-dimensional ferroic materials, in particular, growth control methods, purity of the materials, decrease of their dielectric losses, polarization fatigue, and ageing of their relevant physical characteristics were of substantial interest during the Workshop. So were principal questions for theory and technology, such as size dependencies of the ferroelectric characteristics of nano objects/films and fundamental limitations for their geometrical dimensions, such as critical thickness for thin film ferroelectricity. Unusual effects were reported, e.g., observation of the ferroelectric properties of nanocrystals and thin film heterostructures identical to those of bulk crystals. Theoretical approaches to description of thin film behavior, taking into account depolarization fields, substrate misfit strains surface tension, and gradients of volume free energy density were also presented.

Extensive discussion focused on the properties of ferroic materials driven by the domain walls system, manifesting complicated dependences on temperature, time, frequency, and pressure. Attention was paid to a complex domain wall dynamics with the pinning effect at impurities chaotic switching phenomena and stochastic resonance in ferroelectrics, field-induced reconstruction of nano-scale domain structures in ceramics, and ferroelastic twinning.

Finally, the following topics were under consideration: disordered relaxor ferroelectrics, polycrystalline, ceramic (with nanosized grains or dispersed nanosize ferroelectric particles), polymer and glassy materials; nonlinear dielectric, elastic, optical, and piezoelectric properties of ferroelectrics; phase transitions, external pressure and field effects nonlinearities in external fields, and domain phenomena in such systems.

Depolarization field in thin ferroelectric films with account of semiconductor electrodes
M.D. Glinchuk, B.Y. Zauychny, and V.A. Stephanovich

Ferroelectric thin films for applications in high frequency range
A. Rousseau, M. Guilloux-Viry, V. Bouquet, A. Perrin, G. Tanné, F. Huret, J.F. Seaux, D. Cros, and V. Madrangeas

Dimensional effects on ferroelectrics: Ultra-thin single crystals, nanotubes, nano-rods, and nanoribbons
J.F. Scott

Field induced evolution of nanoscale structures in relaxor PLZT ceramics
V.Ya. Shur, E.L. Rumyantsev, G.G. Lomakin, O.V. Yakutova, D.V. Pelegov, A. Sternberg, and M. Kosec

Dielectric and pyroelectric response of BaTiO₃-PVDF nanocomposites
B. Hilczer, J. Kulek, M. Polomska, M.D. Glinchuk, A.V. Ragulya, and A. Pietraszko

Size effects in BaTiO₃ nanopowders studied by EPR and NMR
E. Erdem, R. Boettcher, H.-J. Glaesel, E. Hartmann, G. Klotzsche, and D. Michel

Theory of Rochelle salt: Beyond the

ARW PAPERS

Mitsui model

I.V. Stasyuk and O.V. Velychko

Temperature dependence of the non-linearity coefficient of strontium titanate

J. Dec, W. Kleemann, and M. Itoh

Chaos and stochastic resonance in ferroelectrics — Two effects related to switching

M. Distelhorst

Epitaxial regrowth of ferroelectric thin films on bottom electrodes

A. Perrin, A. Rousseau, J.R. Duclère, and M. Guilloux-Viry

Thickness dependence of random field distribution in thin films made of disordered ferroelectrics

V.A. Stephanovich, E.V. Kirichenko, J. Drózd, and H. Drózd

Effective dielectric function in high-permittivity ceramics and films

J. Petzelt and I. Rychetsky

Compositional and pressure effects on the phase transition in ferroelectric $\text{NH}_4\text{H}(\text{ClH}_2\text{CCOO})_2$

M. Zdanowska-Fraczek, R. Jakubas, and P. Czarnecki

The effect of isotopic and isovalent impurity on low and infra-low frequency dielectric response of the TGS and RS model crystals

A.V. Shilnikov, V.A. Fedorikhin, and N.V. Ratina

Spin models with different types of competing interactions

R.R. Levitskii, S.I. Sorokov, and A.S. Vdovych

EPR of $\text{LGO}:\text{Cu}^{2+}$ crystals

M.P. Trubitsyn, M.D. Volnianskii, and A. Yu. Kudzin

Phases coexistence of hydrogen-bonded $\text{K}_{1-x}(\text{NH}_4)_x\text{H}_2\text{PO}_4$ crystal

Z. Trybula, J. Kaszynski, and H. Maluszynska

Structural studies of relaxor/ferroelectric $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3/\text{PbTiO}_3$ superlattices

H. Bouyanfif, N. Lemée, M. El Marssi, F. Le Marrec, B. Dkhil, and M.G. Karkut

Localized polaron type states in ferroelectrics-ferroelastics

M.B. Belonenko and E.V. Demushkina

Transmission and dispersion of refractive indices in nonlinear optical $\text{CsLiB}_6\text{O}_{10}$ single crystals

V.T. Adamiv, Ya.V. Burak, M.M. Romanyuk, G.M. Romanyuk, and I.M. Teslyuk

Band energy structure and optical properties of Ag_2CdI_4 superionic compound

I. Bolesta, V. Savchyn, and S. Velgosh

Deposition of PZT thin films on polymer substrate by means of low pressure plasma jet system

A. Deyneka, Z. Hubicka, L. Jastrabik, M. Cada, P. Virostko, J. Olejnicek, G. Suchanek, and G. Gerlach

Random field based model for calculation of the properties of relaxor ferroelectric thin films

E.A. Eliseev and M.D. Glinchuk

Critical behaviour of $\text{Sn}_2\text{P}_2\text{S}_6$

ferroelectric crystals under high pressure

P.P. Guranich, A.G. Slivka, V.S. Shusta, O.I. Gerzanich, and I.Yu. Kuritsa

$\text{Ba}_x\text{Sr}_{1-x}\text{TiO}_3$ thin films deposited by RF hollow cathode plasma jet technique

Z. Hubicka, J. Olejnicek, M. Cada, P. Virostko, H. Sichová, A. Deyneka, and Z. Czaplá

Phase transitions in Ag_2CdI_4 : Electrical studies

Ivan Karbovnyk

On the plasma transitions in ferroelectric-antiferroelectric mixed systems

N.A. Korynevskii and V.B. Solovyan

Critical behaviour of 3D systems in the external field

M.P. Kozlovskii

Piezoelectric resonance and sound attenuation in Rochelle salt

A.P. Moina, R.R. Levitskii, and I.R. Zachek

Theoretical description of coercive field decrease in ferroelectrics-semiconductors with charged defects

Anna N. Morozovska

Analytic method of calculating thermodynamic functions for Ising-like system in an external field

I.V. Pylyuk, M.P. Koslovskii, and O.O. Prytula

Lead-free relaxor ferroelectric ceramics in $\text{NaNbO}_3\text{-Sr}_{0.5}\text{NbO}_3\text{-LiNbO}_3$ solid solution system

S.I. Raevskaya, J.-L.

ARW PAPERS

*Dellis, L.A. Reznichenko, S.A.
Prosandeev, I.P. Raevski, S.O.
Lisitsina, and L. Jastrabik*

Linear versus nonlinear field
dependence of dielectric stiffness in
relaxors

*I.P. Raevski, S.A. Prosandeev,
A.S. Emelyanov, Eugene V.
Colla, J.-L. Dellis, M. El Marssi,
and L. Jastrabik*

Inversion of the sign of birefrin-
gence and its application in ther-
mometry

*M.O. Romanyuk and M.M.
Romanyuk*

The baric changes of the electron
polarisability of LiRbSO₄, LiKSO₄
and (NH₄)₂BeF₄ crystals

*V.Yo. Stadnyk and M.O.
Romanyuk*

Lattice dynamics simulation of
CsH₂PO₄ crystal

Ya. Shchur

Linear thermal expansion of ferro-
electric deuterated triglycine sul-
phate

*I.S. Girnyk, O.S. Kushnir, and
R.Y. Shopa*

Optical activity of the KDP group
crystals

*Y. Shopa, L. Lutsiv-Shumskiy,
and R. Serkiz*

Temperature and pressure effect on
the absorption edge in

(Sn_{0.95}Zn_{0.05})₂P₂S₆ crystal
*V.S. Shusta, V.V. Tovt, A.G.
Slivka, P.P. Guranich, E.I.
Gerzanich, and I.Y. Kuritsa*

Pressure effect on Sn₂P₂Se₆ type
incommensurate crystals

*A.G. Slivka, V.M. Kedyulich, and
E.I. Gerzanich*

The refractive properties of uniaxi-
ally stressed doped TGS crystals

*V.Yo. Stadnyk and M.O.
Romanyuk*

Exact and variational treatment of
ferroelectric thin films with different
materials of electrodes

*V.A. Stephanovich, M.D.
Glinchuk, and V.Y. Zaulychny*

The effect of axial pressure on
domain state and dielectric proper-
ties of Na_{0.5}Bi_{0.5}TiO₃ and related
materials

J. Suchanicz and T.V. Kruzina

Hydrostatic pressure dependence of
T_C for SASD type crystals

*I.E. Lipinski, J. Kuriata, and N.A.
Korynevskii*

Luminescence of ferroelectric
CsPbCl₃ nanocrystals

*A. Voloshinovskii, S. Myagkota,
and R. Levitskii*

Ferroelectric thin film self-polariza-
tion induced by mismatch effect

*M.D. Glinchuk and A.N.
Morozovska*

Ferroelectricity Newsletter

including all back issues is available on Internet

<http://www.sp.nps.navy.mil/projects/ferro/ferro.html>

in Adobe Acrobat PDF file format

The PDF file format maintains the graphics and organization of the printed newsletter. Adobe Acrobat Reader is a helper application distributed free for Web browsers. Acrobat is available for Macintosh, Windows, DOS, SGI, and Sun SPARC operating systems.

Contact:

email: rpanholzer@nps.edu

mail: Hannah Liebmann, 500 Glenwood Circle #238, Monterey, CA
93940-4724 USA

UPCOMING MEETINGS**18th International Symposium on Integrated Ferroelectrics (ISIF 2006)****23 - 27 April 2006****Honolulu, Hawaii, USA**

In 2006, ISIF will return to the United States to be held in Honolulu, Hawaii, on the beautiful beaches of Waikiki. This meeting will be particularly exciting as we have entered a phase in which we are seeing more and more FeRAM devices in production.

As interest in this field continues to grow, it remains the goal of the ISIF organization to uphold its reputation as a premier conference and source for information in the ferroelectric field. To accomplish this goal for ISIF 2006, we are offering the opportunity for select companies to participate in the International Symposium on Integrated Ferroelectrics 2006 as sponsors.

ISIF is offering several benefits to participating sponsors. Your company may elect to provide a \$2,000 or \$3,000 sponsorship or you may choose to sponsor an event such as the Welcome Reception, the Conference Luncheon, or the Banquet Dinner for \$5,000. Please visit our Web site for details.

Organizers

ISIF General Co-Chairs:

- Prof. Carlos Paz de Araujo, University of Colorado at Colorado Springs and Symetrix Corporation
- Prof. Rudy Panholzer, Naval Postgraduate School
- Dr. Orlando Auciello, Argonne National Lab

ISIF 2006 Technical Program Chairs:

- Prof. Sandwip Dey, Arizona State University (Sandwip.Dey@asu.edu)
- Prof. James Scott, Cambridge University (jsco99@esc.cam.ac.uk)
- Prof. T.W. Noh, SNU (twnoh@snu.ac.kr)

ISIF 2006 International Advisory Committee:

C.A. Paz de Araujo (Symetrix Corporation), R. Panholzer (Naval Postgraduate School), O. Auciello (Argonne National Lab), S. Aggarwal (Texas Instruments), S. Baik (Postech), R. Bruchhaus (Infineon), J. Cross (Fujitsu), S. Dey (Arizona State University), G. Fox (Ramtron Inc.), S.K. Hong (Hynix), V. Joshi (IC Intelligence), D. Schlom (Penn State), S. Streiffer (Argonne National Lab), M. Shimuzu (Himeji Institute of Technology), R. Waser (RWTH Aachen), T.A. Tang (Fudan University)

Symposium Coordinator:

- Kerry Baugh, University of Colorado at Colorado Springs (kerry@isif.net)

www.isif.net**Technical Program**

Plenary Speakers:

- Prof. Dennis Polla (DARPA program manager and University of Minnesota)
“Directions for ferroelectric MEMS and NEMS for defense applications”
- Dr. Kinam Kim (President, Samsung Semiconductor Division)
“Memory research programs at Samsung”
- Dr. Greg Atwood (Intel)

UPCOMING MEETINGS

Session 1: Device Process Integration/Reliability (Ferro-, Piezo-, Pyro-electrics, etc.)

- (a) Circuit Design and Architecture
- (b) Modeling (Spice, etc.)
- (c) Processing and Reliability of FeRAMs, Sensors and Actuators, and Devices for Medical Applications

Session Chairs:

Dr. S.K. Hong (Hynix)
Dr. J.S. Cross (Fujitsu)

Invited Speakers:

- K. Yamakawa (Toshiba), “Key process for high density 0.13um FeRAM and beyond”
- S.-H. Kim (INOSTEK), “The long-term reliability of BFO-PZT ferroelectric thin films for RF-embedded FeRAM devices”
- D. Hadnagy (Consultant), “Intrinsic and extrinsic issues associated with the reliability of FRAM”

Session 2: Alternative Nonvolatile Memory Technologies

- (a) Nonoxide based Phase Change Memory (or PCRAM)
- (b) Oxide based Resistive Probe Storage (or RRAM)
- (c) Magnetic (or MRAM)

Session Chairs:

Prof. B.H. Park (Konkuk University)
Prof. M. Kawasaki (Tohoku University and CERC)

Invited Speakers:

- S.A. Seo (Samsung Advanced Institute of Technology), “Resistance change of NiO for nonvolatile memory application”
- M. Kozicki (Arizona State University), “A review of solid electrolyte memory”
- S. Parkin (IBM), “A storage class memory: The magnetic racetrack”
- I. Meijer (IBM Zürich Research Lab), “A candidate for nonvolatile memory”

Session 3: Integrated FE Liquid Crystals & Organic-FE Structures

Session Chair:

Prof. S. Lagerwall (Chalmers University)

Invited Speakers:

- D. Krueke (CRLO Displays Limited), “Ferroelectric liquid crystal on silicon microdisplays and their applications”
- M. Wand (LC Vision, Boulder, CO) “Germanium-containing ferroelectric liquid crystals for improved display performance”

Session 4: Integrated Microwave Materials and Devices

Session Chairs:

Prof. G. Subramanyam (University of Dayton)
Prof. S. Baik (Postech)

UPCOMING MEETINGS

Invited Speakers:

- R. Biggers (AFRL, USA), “Integrated BST thin films through process-controlled pulsed-laser deposition”
- T.-B. Wu (National Tsinghua University, Taiwan), “Interfacial varactor characteristics from interdiffusion in the ferroelectric thin films deposited on high-resistivity Si”

Session 5: High K Films in Packaging, DRAMs, and CMOS

Session Chairs:

Prof. R. Waser (RWTH Aachen)
Prof. P.C. McIntyre (Stanford University)

Invited Speakers:

- P. Majhi (Intel), “A materials perspective of challenges and opportunities for future generation CMOS devices”
- J.D. Baniecki (Fujitsu Laboratories), “High performance barium strontium titanate thin film capacitors for low inductance decoupling applications”
- X. Guo (University of Florida), “Defect chemistry of SrTiO₃: From bulk materials to thin films of nanometer thickness”
- S. Stemmer (UC Santa Barbara), “Scanning transmission electron microscopy of high-k gate stacks for CMOS”

Session 6: FeRAM Materials (PZT, SBT, BLT, BiFeO₃, etc.)

- (a) Thin-Film Processing
- (b) Materials Characterization

Session Chairs:

Prof. R. Katiyar (University of Puerto Rico)
Prof. M. Shimizu (University of Hyogo)

Invited Speakers:

- H. Funakubo (Tokyo Institute of Technology), “Development of low voltage-saturated polycrystalline PZT film”
- L. Eng (Dresden University), “Nanoscale electronic and optical properties in ferroic materials”
- Z.G. Liu (Nanjing University), “Dynamic behavior of domain switching and the mechanism of the fatigue phenomenon in SBT and BLT thin films”

Session 7: MEMS, Pyroelectric/IR, Optoelectronic Materials

- (a) Thin-Film Processing
- (b) Materials Characterization

Session Chairs:

Prof. J. Lee (Sungkyunkwan University)
Dr. Q. Zhang (Cranfield University)

Invited Speakers:

- T.S. Kim (KIST, Korea), “MEMS devices using piezoelectric thin and thick films”
- H.M. Jang (POSTECH), “Structure and magnetoelectric (ME) coupling properties of BiFeO₃-based thin films and single crystals”

UPCOMING MEETINGS

Session 8: **Materials Modeling/Theory**

- (a) Domains
- (b) Domain Dynamics in Films

Session Chairs:

Dr. A.K. Tagantsev (Swiss Federal Institute of Technology)
Prof. N. Valanoor (University of New South Wales, Australia)

Invited speakers:

- I. Lukyanchuk, "Thermodynamic and electrical properties of ferroelectric domains in films"
- S.K. Streiffer (Argonne National Lab), "*In-situ* synchrotron X-ray scattering studies of ferroelectric behavior in epitaxial PZT films"

Session 9: **Multi-Ferroic/Magnetoelectric Films**

Session Chairs:

Prof. R. Ramesh (University of California at Berkeley)
Prof. M. Okuyama (Osaka University)

Invited Speakers:

- G. Srinivasan (Oakland University), "Ferromagnetic-ferroelectric layered structures for microwave signal processing"
- H. Tabata (Osaka University), "Multi-ferroic relaxors"

Session 10: **Ferroelectrics under Restricted Geometries**

(e.g., Superlattices, Nanorods, Nanodots, Ultrathin Films/Crystals)

Session Chairs:

Dr. M. Alexe (Max Planck Institute)
Prof. J.-M. Triscone (University of Geneva)

Invited Speakers:

- E. Mishina (Montana State), "Ferroelectric dots and two-dimensional nanostructure: From technology and physics to applications"
- H. N. Lee (Oak Ridge National Lab), "Strain and ferroelectricity in artificially designed superlattices and ultrathin PZT films"
- M. Gregg (Queens University, Belfast), "Ferroelectric behavior in free-standing single crystal 'thin films' and 3D nanoshapes made with a focused ion beam microscope"
- M. Dawber (University of Geneva), "Controlling ferroelectricity in PbTiO₃/SrTiO₃ superlattices"

www.isif.net

UPCOMING MEETINGS**8th European Conference on Applications of Polar Dielectrics (ECAPD 8)
5 - 8 September 2006
Metz, France**

The conference will be organized by the “Laboratoire Matériaux Optiques, Photonique et Systèmes” (LMOPS) associated with the University of Metz, Supélec, and the Centre National de la Recherche Scientifique (CNRS) with the collaboration of the Ecole Nationale Supérieure d'Arts et Métiers (ENSAM).

Topics

- Material research
Single crystals, thin films, ceramics, polymers, composites and liquid crystals, processing and fabrication technologies
- Application-oriented studies of physical properties of dielectrics
Ferro-, piezo-, and pyroelectric properties, electro-optical and nonlinear optical effects, photorefractivity and photoconductivity, ultrasonics, high T_c superconductivity, ionic conductivity, microstructure related properties, domain engineering
- Device research
Piezoelectric transducers, smart sensors and actuators, pyroelectric detectors, electro-optic modulators, spatial light modulators and displays, 2D and 3D optical storage devices, optical signal processors, optical frequency converters, integrated optical devices, nonlinear photonic bandgaps, periodically poled ferroelectric devices, ferroelectric memories, microelectromechanical systems

Location

The conference will take place at Metz-Technopole. The historical city of Metz in the north-east of France is easily reachable from Paris and Frankfurt (Germany) in about three hours train travel. Luxembourg International Airport with frequent flights to all major European cities is 70 km north of Metz and easily available by public transportation.

Contact

Prof. Marc Fontana
Chairman ECAPD8 Conference
Laboratoire LMOPS, Supélec
2 rue E. Belin
F-57070 Metz (France)
phone: +33-3-87 37 85 72
fax: +33-3-87 37 85 59
email: fontana@metz.supelec.fr

Prof. Germano Montemezzani
ECAPD8 Conference Secretary
Laboratoire LMOPS, Supélec
2 rue E. Belin
F-57070 Metz (France)
phone: +33-3-87 37 85 76
fax: +33-3-87 37 85 59
email: montemez_ger@metz.supelec.fr

<http://www.ecapd8-metz.net>

Space Systems Academic Group
Code SP
Bullard Hall, Bldg. 233, Room 125
Naval Postgraduate School
Monterey, CA 93943 USA

Summer/Fall 2005

Ferroelectricity Newsletter

CALENDAR OF EVENTS 2006

Apr 23-27	• 18th International Symposium on Integrated Ferroelectrics (ISIF 2006), Honolulu, Hawaii, USA (see p. 27)
-----------	---

Jun 18-22	• Electroceramics X, Toledo, Spain. Contact: http://electro-x.etsit.upm.es
-----------	--

Sep 5-8	• 8th European Conference on Applications of Polar Dielectrics ECAPD 8), Metz, France (see p. 31)
---------	---